Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SEEDS

FOR THE

NURSERYMAN

AND

FORESTER

Seeds of

Part I Fruit Stocks—Nut Trees Economic Plants

Part II Conifers

Part III Deciduous Trees and Shrubs

Part IV Hardy Perennials

1941 - 1942

See descriptive notes of New and Unusual Items in Part III

F. W. SCHUMACHER

HORTICULTURIST

JAMAICA PLAIN - BOSTON, MASS.

TERMS

Deliveries are subject to yield of crops and safe arrival of our consignments and prices subject to change.

While we endeavor to carry ample stock, it is nevertheless impossible to have all seeds listed available at all times. Certain items cannot be stored successfully and are available in season only. Please bear this in mind when you place your order.

All seeds and plants are sold without warranty, expressed or implied as to description and productiveness. Seeds should be carefully inspected upon arrival and claims for conditions made at once. We cannot consider claims after seeds have been stored or planted.

All shipments travel at buyer's risk and claims for damages in transit must be taken up with the transportation companies.

Remittances made should include a fair amount for packing and postage, if shipment by mail is requested. Bags are being charged at cost price.

PACKETS—We shall be glad to supply packets of all items listed, as far as possible, and will charge 15c per packet unless priced otherwise.

TERMS—5% Discount for cash with order; for customers of approved credit, 10 days 2%; 30 days net.

SEND IN YOUR ORDER EARLY

Benefit of lower seasonable prices will be extended whenever it is possible to do so. Your inquiries are appreciated.

DOMESTIC SEEDS WANTED
We buy and exchange seeds

F. W. SCHUMACHER

579 Centre Street

P. O. Box 131

JAMAICA PLAIN, BOSTON, MASS.

Telephone ENDicott 1850

Cable Address, Treeseeds Boston

I

SEEDS OF FRUIT STOCKS, NUT TREES, ECONOMIC PLANTS

(Quantity prices upon request)			
APPLE, Baccata, baccata stock has proved more resistant to climatic and soil conditions than any other Apple. It is now used extensively in the North as stock for table apples and it is by far the most congenial for all flowering crabs of Oriental origin.	1/4 ІЬ.	1 lb.	10 lbs.
Dry pomes. Clean seed	.30 1.40 .35	1.35 4.85 1.00	9.00
APRICOT, Japanese, Ansu "Mikado" variety. Fair sized tree, hardy and fruiting in New England. Globular fruits are peach colored, delicious to eat. Ripe first part of July	1.25		
CHERRY, Mahaleb	.55	1.75 1.00	15.00
PAWPAW	.35	1.25	
PEACH, Common, Domestic, small naturals		.15	1.25
PEAR (communis) domestic	.75	2.50	22.00
PERSIMMON			
Native. Native. Northern	.20	1.00	
Kaki Persimmon, large fruited Chinese P.	.80	2.75	
Lotus, Date Plum	.80	2.75	
PLUM, Native American, all make excellent fruit trees, valuable for their certain crops which make delicious jam, jelly and sauce. For new varieties as listed below consult descriptions in Part III. Americana	.30	1.00	8.00
Americana, large fruited, with the growing demand for Prunus americana for fruit trees, the necessity of selection of large fruited varieties for			
managetion in profesence to nondescript stock often reculting from			
propagation in preference to nondescript stock often resulting from			
propagation in preference to nondescript stock often resulting from trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving	.60	2.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving Beach Plum (maritima)	.60	2.00 1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia).	.30	1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of	.30 .60 .90	1.00 2.00 3.50	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red.	.30 .60 .90	1.00 2.00 3.50	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit.	.30 .60 .90	1.00 2.00 3.50	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90	1.00 2.00 3.50	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50 2.00 1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50	9.50
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50 2.00 1.00	8.50 20.00
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)35, oz. PLUM, European Damson German Prune (domestic var.). Green Gage Myrobolan (cerasifera). QUINCE, Common (oblonga).	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00 .60 .30 .45 .30	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00 .60 .30 .45 .30 .70 .55	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25 1.50 1.85 1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00 .60 .30 .45 .30 .70 .55 .35	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25 1.50 1.85 1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00 .60 .30 .45 .30 .70 .55	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25 1.50 1.85 1.00	
trees with small, hard-fleshed fruit becomes obvious. We offer seed from large fruited trees of our own saving. Beach Plum (maritima). Chickasaw Plum (angustifolia). Hortulan Plum (hortulana). Reverchon Plum, this and preceding have the most colorful fruit of bright cherry red. Soft Leaf Plum (lanata), heavy bearer, excellent fruit. Wild Goose Plum (munsoniana)	.30 .60 .90 .90 .90 1.00 .60 .30 .45 .30 .70 .55 .35	1.00 2.00 3.50 3.50 3.50 2.00 1.00 1.50 1.00 2.25 1.50 1.85 1.00 .70 2.00	

	1/4 lb.	1 lb.	10 lbs.
HICKORY, Bitternut (cordiformis)		.25	
Mockernut (alba)		.25	
Pignut (glabra)		.25	
Shagbark (ovata)		.20	
Shellbark (Kingnut) laciniosa		.20	
Shellbark, large fruited, nuts an ounce and over		.35	
PECAN, Large fruited, Paper Shell		.35	
Naturals, for stock		.30	
Naturals, hardy Northern, from Indiana		.40	
WALNUT, Black Walnut		.18	
Black Walnut, New England or Prairie States collected		.30	
Butternut		.20	
Butternuts, New England collected		.30	
California Black Walnut		.25	
English (Persian)		.45	
Japanese (sieboldiana), domestic	.50	1.50	
Manchurian	.50	1.50	
Hybrid Nut (Butternut x Japanese) 10 seeds, .35; 100 seeds, 2.50 Hybrid Nut (Japanese Heart Nut x Manchurian)			
10 seeds, .35; 100 seeds, 2.50			
ASPARAGUS, Paradise, a New Asparagus, highly resistant to rust, coming into production one year earlier than any other variety, crops yielding			
above average green tender stems of fine flavor, mild in taste30, oz.	.70	2.25	21.00
Mary Washington20, oz.	.45	1.50	12.50
GINSENG (Panax quinquefolium).			
100 seeds, .50; 500 seeds, 2.25; 1.000 seeds, 4.00			
GOLDENSEAL (Hydrastis canadensis).			
100 seeds, .35; 500 seeds, 1.75; 1,000 seeds, 4.00			
100 seeds, 135; 300 seeds, 1.75; 1,000 seeds, 4.00			

II

CONIFERS

ABIES amabilis	oz.	1/4 lb.	lb. 3.00
arizonica	.55	1.25	4.50
concolor, Colorado	.15	.30	1.25
concolor lowiana	.25	.50	1.75
firma	.30	.75	2.50
fraseri	.45	1.15	2.00
grandis	.35	.80	2.85
holophylla	.35	.80	2.00
homolepis (brachyphylla)	.35	.80	
lasiocarpa	.35	.80	3.00
magnifica.	.35	.75	2.50
magnifica shastensis	.35	.75	2.50
mariesi	.35	.80	2.50
nobilis	.45	1.20	4.00
sachalinensis	.35	.80	4.00
veitchi	.35	.80	
	.60	1.50	5.00
venusta	.00	1.50	3.00
BIOTA, see Thuja			
CHAMAECYPARIS lawsoniana, domestic	.35	.90	3.00
obtusa	.40	1.00	3.50
pisifera (retinispora)	.40	1.00	3.50
CRYPTOMERIA japonica	.30	.75	2.50
japonica araucarioides	.40	1.00	2.00
	.40	1.00	
japonica elegans	.40	1.00	
japonica lobbi	.40	1.00	

	oz.	1/4 1Ь.	lb.
CUNNINGHAMIA lanceolata (sinensis)	.65	2.00	
CUPRESSUS arizonica	.40	.90	3.00
forbesi, a rare Californian species, for its disease resistance preferred to			
Cupressus macrocarpa25, 1/4 oz.	.75	2.50	
goveniana macnabiana	.40	.95 .85	3.25
macrocarpa	.30	.75	2.50
macrocarpa, seed from garden specimens	.35	.85	3.00
sempervirens horizontalis	,30	.75	2.50
sempervirens pyramidalis (stricta)	.35	.85	3.00
GINKGO biloba, domestic seed only	.15	.20	.60
JUNIPERUS chinensis, clean	.55	1.20	4.50
communis, domestic	.15	.30	1.00
communis aurea, the wild golden-tipped bush Juniper of the Northwest	.25	.60	2.00
communis depressa (prostrata)	.15	.40	1.45
communis montana (siberica) seed from Montana	.15	.40	1.45
horizontalis, a fine hardy Juniper from Montana	.20	.45	1.60
japonica	.60	2.00	
monosperma, clean	.40	1.50	
procumbens, clean	.40	1.50	
rigida scopulorum, Montana-North Dakota	.40	1.50	.85
clean	.50	1.20	4.00
scopulorum, columnar type, a natural form found in isolated stands in	.50	1.20	4.00
Montana	.25	.55	2.00
scopulorum, spreading type, a hardy prostrate form from Montana	.15	.40	1.25
scopulorum, seed from selected trees, blue or bright green	.25	.50	1.75
utahensis	.20	.35	1.25
virginiana, seed from New England	.15	.40	1.50
seed from Tennessee	.15	.25	.75
Platte River type, clean	.30	.80	3.00
seed from Wisconsin	.15	.40	1.25
ARIX europaea	.50	1.25	4.50
leptolepis	.75	1.85	7.00
LIBOCEDRUS decurrens	.30	.85	2.75
PICEA ajanensis, see jezoensis.			
breweriana	1.50	4.50	
canadensis (alba-glauca)—One pound of WHITE SPRUCE seed sown broadcast will plant about 25 yds. of 4 ft. wide bed.			
seed from Northern New England or Canada	.70	1.75	6.00
canadensis albertiana, Black Hills Spruce	,75	1.85	6.50
engelmanni	.45	.95	3.50
excelsa— One pound of NORWAY SPRUCE seed sown broadcast will plant about 15 yds. of 4 ft. wide bed.			
seed from Central Europe	.50	1.50	
glehni	.75	2.50	
jezoensis	.60	2.00	
jezoensis hondoensis	.60	2.00	
koyamai35, ¼ oz.	1.00		
mariana (nigra)	.55	1.75	6.50
morinda, see smithiana.	1.00		
orientalis35, ½ oz.	1.00	00	0 50
pungens Calarada Plua Sprace from blue stonde	.40	.80	3.50
pungens glauca, Colorado Blue Spruce, from blue stands	.55	1.20	4.50
hand picked from blue trees	.75 1.50	4.00	6.00
rubra	.85	1.95	7.50
sitchensis	.50	1.10	4.00
smithiana (morinda)	1.25	1.10	2.00
511111111111111 (IIIVIIIIIII)	1.20		

	oz.	1/4 lb.	lb.
NUS albicaulis	.60	1.25	4.50
aristata	.35	.90	3.00
attenuata	.45	1.00	3.85
banksiana	.35	.90	3.00
caribaea	.20	.50	1.75
contorta	.45	1.00	3.50
contorta latifolia, see murrayana.	25		0.50
coulteri	.35 .55	.75	2.50
densifloraechinata	.55	1.20	4.50
edulis	.15		1.00
excelsa	.75	.30	1.00
flexilis	.25	2.00	3.00
halepensis	.40	.90	3.00
jeffreyi	.35	.75	2.50
khasya, from Indochina	1.00	.13	2.00
koraiensiskoraiensis	.35	.80	2.75
koraiensis. Northernmost form from interior Manchuria, much hardier	,33	.00	2.13
than the usual strain from Korea	.45	1.00	3.50
lambertiana	.20	.50	1.75
leucodermis	.50		1.13
maritima, see pinaster.			
mercusi, from Indochina	1.00		
monophylla	.40	.95	3.50
montezumae	.95	2.50	
monticola	.50	1.15	4.25
murrayana (latifolia)	.50	1.40	4.75
nigra (austriaca)	1.00		
palustris	.15	.40	1.25
parryana, hardy dwarf Pine, fine for specimens	.50	1.50	5.00
parviflora (pentaphylla)	.25	.50	1.75
patula	.80	3.00	
pinaster (maritima)	.25	.60	2.00
oinea	.35	.75	2.50
conderosa, seed from Pacific Coast (timber strain)	.25	.45	1.50
ponderosa (scopulorum) seed from Colorado	.15	.30	1.10
seed from Black Hills and Northern Rockies	.25	.60	2.00
radiata (insignis)	.30	.75	2.50
resinosa	.75	1.65	6.00
rigida, New England	.35	.75	2.50
sabiniana	.25	.50	1.75
strobus—One pound of WHITE PINE seed sown broadcast will plant			
about 10 yds. of 4 ft. wide bed.			
North Eastern seed	.25	.60	2.00
seed from Lake States or Canada	.25	.45	1.50
sylvestris—One pound of SCOTCH PINE seed sown broadcast will plant			
about 18 yds. of 4 ft. wide bed	.85	2.05	7.50
aeda	.35	.65	2.25
hunbergi	.35	.85	3.00
orreyana	.60	1.50	5.00
virginiana	.60	1.50	5.00
IDOTSLICA dauglasi anggia a fine blue strain from Montana the			
UDOTSUGA douglasi caesia, a fine blue strain from Montana, the hardiest race	.55	1.20	4.50
douglasi caesia, seed from British Columbia	.35	.90	3.25
douglasi glauca, Colorado	.45	1.00	3.50
douglasi viridis, Coast Strain	.45	1.10	3.75
macrocarpa	.70	1.70	6.00
	.,,	1.70	0.00
ADOPITYS verticillata	.75		
QUOIA gigantea	.85	2.25	7.50
sempervirens, domestic seed only	.35	.90	3.25
0	,,,,		

.45 1.15 3.75

	oz.	1/4 lb.	lb.
TAXODIUM distichum	.15	.25	.75
TAXUS canadensis.	.45		
cuspidata capitata	.60	1.50	
cuspidata, spreading	.60	1.50	
media, from various Hybrid forms	.65	2.00	
media hicksi	.50	1.50	
THUJA occidentalis	.30	.60	2.10
THUJA (Biota) orientalis,	.30	.75	2.50
orientalis aurea	.30	.75	2.50
orientalis aurea nana	.35	.95	3.00
orientalis compacta (sieboldi)	.45	1.00	3.50
orientalis conspicua	.45	1.00	3.50
orientalis pyramidalis	.35	.80	2.75
plicata (gigantea-lobbi)	.50	1.25	4.00
THUJOPSIS dolobrata	.50	1.35	
TSUGA canadensis, New England or Canada	.65	1.50	5.75
diversifolia	.75	2.00	
heterophylla	.65	1.75	6.50
mertensiana	.95	2.25	8.00
sieboldi	.75	2.00	

Ш

DECIDUOUS TREES AND SHRUBS

A.—Descriptive Notes

Trees and Shrubs of Merit (Insufficiently known to the trade)

Packets-Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

	pkt.	1/6 oz.	1/4 02.	oz.	1/4 lb.	lb.
AMELANCHIER canadensis, the true Downy Shadblow (not the usual mixture of various species), snow-white flowers before leaves. Habit erect, a rather stout shrub or small tree, the true seed is scarce, dry berries		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	,,	.45		3.50
				1.35		12.00
canadensis, clean grandiflora. Apple Shadblow, said to be a natural hybrid between canadensis and laevis. In habit much like laevis, but larger in all parts, buds often purplish pink, tinged pink when open (var. rubescens). With the large berries borne in clusters, plants have the appear- ance of a cherry tree laden with fruit. Due to its pro- fuseness of bloom and fruiting this may easily be classed, when better known, as the most valuable of our Eastern Shadblows.				.35		3.00
laevis, Allegheny Shadblow, Northern strain, the hand- somest Amelanchier in flower with the young purplish foliage and drooping flower racemes expanding at same time. Slender shrub usually not attaining size of canadensis or grandiflora.				25	. 05	2.00
New England seed oblongifolia (botryapium or obovata), Thicket Shadblow. For landscape planting this Amelanchier has its special feature. Like no other of the group it makes a small, many branched shrub, while young, suitable for formal planting or as cover shrub in borders and a cover and food plant in wild-life reservations. The first Amelanchier to bloom and fruit (Juneberry) and				.35	.85	3.00

attractive by the silvery color of its unfolding foliage.

AMELANCHIER (continued)	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
stolonifera hybrid, the botanical status of this does not seem to be properly established as yet. Plants are to breast high, in foliage, bloom and fruiting habit much like grandiflora and laevis. Berries are the largest of all our Eastern Amelanchier, remarkably tender			15	45	1.50	
skinned, good to eat and for preserves AMPELOPSIS aconitifolia, the luxuriant freshness of its dainty cutleaf foliage and its ability, unassisted, to fill out corners, ramble over fences and walls will make this hardy vine hailing from Northern China a first			.15		1.50	
consideration in its class, domestic seed			.25	.75	2.00	
between Azalea mollis and our native viscosa, remark- able for its deep yellow flowers. schlippenbachi, Royal Azalea. This truly royal plant has wrongly been accused of being doubtfully hardy North. The truth is there are several strains. Nursery	.25	.75	2.00	6.50		
men who planted this from seed of nondescript origin report failure with plants killing back every Winter. Plants grown from Northern seed, however, are en- tirely hardy in New England where numerous plantings with specimens to four and six feet prosper, flower and						
fruit year after year. We offer domestic seed BERBERIS thunbergi maximowiczi, Coral Barberry, the	.20	.40	.95	3.50		
best thunbergi variety, more robust and erect in habit and heavier fruiting than thunbergi			.25	.75	2.50	
CEANOTHUS pallidus roseus, exquisite summer flowering garden shrub with pink flowers and attractive foliage,	0.5			.,,		
hardy in New England CORNUS officinalis, Japanese Cornelian Cherry, more	.25		.35			
garden-worthy and ornamental than Cornus mas by its smaller dimensions and its heavy crops of red fruit persisting into Winter				.35	.90	3.00
COTONEASTER foveolata, little known Cotoneaster of stout, erect habit with large distinctive foliage. A fine orna- mental, hardy in New England, easily the best of the						
black fruited varieties			.20	.50	1.25	4.50
heavy crops of bright red fruit			.20	.60	1.50	5.00
multiflora calocarpa, fruit larger and darker in color CRATAEGUS nitida, Glossy Hawthorn—Native, conspicuous by its glossy foliage and heavy crops of brilliant orange			.20	.00	1.50	5.00
scarlet berries retained well into Winter, dry berries				.15 .35	.30 1.00	1.00 3.00
prunifolia , Plumleaf Hawthorn—Native, with clusters of red fruit in great profusion, rivaling crusgalli as ornamental.						
dry berries				.15	.30 .65	1.00 2.25
punctata, Dotted Hawthorn—Native. As a small shade tree with spreading branches forming an umbrella-like head it is much used for planting in parks and public						
grounds. Has distinctive foliage quite different from other Hawthorns and dull red berries.						25
fruit				.15	.25	.35 .75 1.50
0						

	pkt.	1/16 oz.	1/4 OZ.	oz.	1/4 lb.	lb.
CYTISUS austriacus, together with Cytisus supinus, have		70	/.		/4	
been favorites with European nurserymen of long standing. Both lend themselves to regular nursery						
practice and may be handled like any other shrub						
item. Cytisus austriacus grows into a compact shrub						
to 3 feet high of regular outline and presents sleak appearance when covered with bright yellow flowers						
in June and July and with conspicuous seed pods later.						
A fine all-around garden plant, will prosper in dry spots		.15	.45	1.50		
ratisbonensis, Spring Broom, the first Cytisus to bloom						
in our collection early in May. A slender shrub to 6 feet. It is entirely hardy here and has come unscathed						
through winters in which even Cytisus supinus showed						
some frost damage10 seeds, .15; 100 seeds, .45						
scoparius sulphureus, "Moonlight" Broom, dwarfer						
than type, of compact habit with flowers of sulphur yellow blooming before the Scotch Broom			.15	.35	75	2,50
supinus (capitatus) Bigflower Broom, smothered with				.00		2.00
blooms in July. This Broom, with its neat compact						
habit to 3 ft. high of globular shape, deserves the atten- tion of landscape planters and soil conservationists.						
Plants grow and succeed in the poorest of soil and prove						
hardy with us. Transplanting in Spring offers no						
trouble if tops are cut back. 6500 seeds to the ounce.			.25	.75	1.75	6.50
DIPELTA floribunda, new ornamental shrub from China, hardy at Boston, robust habit, to 10 ft. high, hand-						
some flowers of pale rose orange in throat						
10 seeds, .25; 100 seeds, 1.50						
ECHINOPANAX horridum, Devil's Club, low ornamental						
shrub from Interior North-west, to 12 ft. with large bright green leaves and conspicuous scarlet fruit				.35	.20	2.75
FRANKLINIA (Gordonia) Alatamaha, the well known				,00	.40	4.15
Franklinia, America's choicest flowering shrub bloom-						
ing in late Summer and Fall.						
10 seeds, .65; 100 seeds, 5.50 HYDRANGEA bretschneideri, New Hydrangea from China,						
medium sized shrub of compact habit, very attractive						
when flowering in July. As good background com-						
panions the similar but taller Hydrangea Xanthoneura						
and varieties are recommended	.20	.40				
from the common "P. G." of the nursery trade that						
one would be inclined to believe it a different species.						
The plant grows into a large shrub assuming tree-like						
habit with spreading branches. Its white flowers appear a month before paniculata and remain for some						
time without a noticeable change in color. Plant						
produces seed in quantity and may easily be propagated						
by such. Seed is fine and a little goes a long way	.20	.40	1.25			
LONICERA alpigena, a low upright shrub, very attractive by its heart-shaped red fruit in July			.25	.75		
chrysantha latifolia, showy in spring when covered with				,,,,		
profusion of yellow flowers, fruit dark red. We offer						
the large-leaved variety only			.25	.75		
bluish-green foliage, rose colored flowers in late spring						
and conspicuous orange-salmon colored fruit in summer			.35	1.00		
orientalis, neat compact shrub with dark green foliage,						
dull pink to violet flowers and black berries, fine in contrast to red-berried varieties			.25	.75		
tatarica virginalis (elegans) largest flowered of the						
tatarica varieties, flowers flesh color striped pink			.25	.75		

	pkt.	1/16 oz.	1/4 oz.		1/4 lb.	lb.
MALUS baccata, Siberian Crab, clean seed				.55	1.35	4.75
baccata, dry pomesbaccata mandshurica, Mandshurian Crab. This and				.15	.30	1.35
the former are hardy and disease-resistant ornamentals						
doing well in all soils. Fast growing bushy trees						
with large pink or white flowers, respectively, and						
clusters of red or yellow berry-like fruit no nursery-				0.00		
men can afford to neglect. Domestic dry pomes robusta, a baccata Hybrid, faster growing and attaining				.25	.75	2.50
flowering size sooner than baccata, a fine ornamental						
Crab, truly named for its robust habit, broad pyra-						
midal in shape, a mass of large apple-blossom flowers						
in May. May be expected to be hardy far to the				-	400	* "0
North. Ten year plants, from seed, measure 20 ft theifera. Tea Crab from China, hardy here. Small tree				.20	.45	1.50
resembling a Cherry tree when in bloom with its						
branches thickly set with flower-clusters. Flowers						
white or pinkish. Most remarkable ornamental Crab						
much recommended for its heavy bloom and easily						
raised from seed.			20	25	-	2 50
domestic dry pomes			.20	.35	.75	2.50
RUNUS, New Native American Plums, too little known as						
yet and appreciated as ornamentals and fruit trees.						
All are small trees, attractive by their brilliant display						
of fruit. Trees usually are laden with fruit which are excellent for preserves and jellies.						
angustifolia, Chikasaw Plum, fruit red or yellow, early						
ripening				.20	.40	1.50
hortulana, fruit yellow with red cheek when ripening,						
bright cherry-red when ripe				.35	.90	3.50
lanata, very heavy crops of dark red fruit				.35	.90	3.50
munsoniana, Wild Goose Plum, fruit bright red, ripening before any others in this group				.35	1.00	
reverchoni, fruit brightest cherry red when fully ripe.				.00	1.00	
This and hortulana have the most brilliant display						
of fruit				.35	.90	3.50
HAMNUS crenata, Japanese Buckthorn, with conspicuous						
clusters of red fruit in summer, turning black later.						
With larger foliage, better fruiting habit than Rhamnus						
frangula			.25	.75		
IBES fasciculatum, Japanese Alpine Currant, shrub similar						
to Ribes alpinum, with persistent foliage and scarlet						
fruit remaining on the plants over winter, a fine						
ornamental			.20	.60	2.00	
odoratum, native Currant with yellow fragrant flowers			.25	.75		
in spring			.20	.13		
OSA ecae (primula) shrub to 6 ft., hardy in New England,						
with attractive fragrant foliage, and an abundance of						
small yellow flowers (1½ in. across) in May 10 seeds, .15; 100 seeds, 1.00						
MILAX rotundifolia, no better cover for bird sanctuaries						
can be found than a thicket of Green Briars with its inter-twining mass of prickly branches				.20	.60	1.35
inter-twiting mass of prickly branches						
ORBARIA, arborea.						
assurgens.						
sorbifolia. Showy summer flowering shrubs with white Astilbe-						
like flowers, all hardy in New England, clean		.25	.75			

SYRINGA henryi lutece, a hybrid between josikaea and villosa, faster growing and having larger flower-panicles than either parent, easily grown from seed. For its outstanding ornamental qualities this hybrid strain can be highly recommended	pkt.	1/16 oz.		oz.		. lb.
ULMUS hollandica (campestris latifolia) a splendid strain of Elms, combining the features of Scotch and English Elms, seed may be sown late in fall for spring germination.				.25	.60	1.85
VACCINIUM oldhami, Oldham Blueberry from Korea, hardy shrub to 6 ft., of pendulous habit, with grape-like clusters of black fruit. In Fall the crimson foliage displayed together with the persistent fruit make this plant a first class ornamental		.25	.60	2.00		
VIBURNUM betulifolium, Birchleaf Viburnum, a fine new Viburnum from China, to 10 ft., with birchlike foliage and large clusters of bright red berries ½ oz., .75 dentatum, also a common native shrub, it is not sufficiently known for its sterling qualities. Native to the coast and on windswept hillsides it is one of our most wind-resistant shrubs. Dense, moderate sized shrub, good foliage, heavy crops of bloomy-black berries from July to frost.	.35			.15	.25	.85
VITIS vulpina (odoratissima or riparia), native Riverbank Grape, much planted in Europe on arbors for the bright green foliage and fragrancy of its flowers				.35	.75	2.50

Ш

B.—General Listing of Trees and Shrubs

PACKETS-Packets of all items listed can be supplied at 15c. each, unless priced otherwise.

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
ACANTHOPANAX henryi				.45	1.50	
leucorrhizus				.45	1.50	
ricinifolium				.45	1.50	
senticosus				.45	1.50	
ACER campestre				.15	.40	1.50
carpinifolium				.35	1.00	
dasycarpum (New England seed, large quantities in crop						
years) Order in April				.15	.25	.65
diabolicum purpurascens				.25	.70	
ginnala				.15	.40	1.25
japonicum				.25	.70	
macrophyllum, fine Western Maple				.15	.30	1.00
negundo				.15	.20	.65
negundo californicum				.20	.45	1.50
palmatum, small seeded				.40	1.00	3.50
palmatum, large seeded				.35	.90	3.25
palmatum atropurpureum				.85	2.50	
pennsylvanicum				.30	.75	2.50
pictum				.25	.70	
platanoides				.15	.25	.75
platanoides schwedleri				.20	.45	1.50
pseudoplatanus				.20	.45	1.50
pseudoplatanus purpurascens				.25	.60	2.00
sieboldianum			.20	.50		

	pkt.	½6 oz.	1/4 oz.	oz.	1/4 11	o. lb.
ACER (continued) rubrum, Southern seed, ripe in March rubrum, New England seed, ripe in June. rufinerve. saccharum. spicatum tataricum. tschonoski.	.25			.25 .25 .15 .35	.50 .60 .75 .35 1.00	1.50 2.00 1.25 3.25
ACTINIDIA argutalanceolatapolygama	.35 .35		.45 .50 .50	1.35 1.50 1.50		
AESCULUS glabra hippocastanum octandra						.30 .15
AILANTHUS glandulosa				.15	.25	.75
AKEBIA lobataquinata				.35	1.25 1.25	
ALBIZZIA julibrissinjulibrissin, rose flowered			.25	.15 .75	.30	1.00
ALEURITES fordi, Tung-Oil Tree				.15	.30	1.00
ALNUS cordata (cordifolia)glutinosa				.25 .15	.60	2.00 1.25
incana japonica.				.25	1.00	2.00
maritima				.15	.45	1.50
rubra (oregana)				.40	.85	3.00
rugosa, native Alder, useful ornamental and cover shrub on wet ground				.15	.30	1.00
AMELANCHIER alnifolia			.15	.25	.60	2.00
canadensis, the true canadensis, dry berries			.20	.45	1.00	3.50
canadensis, collector's seed, the grade usually available in the trade, consisting of various Eastern species,		÷		1.35		12.00
including most all of this listing, dry berries				.25	.65 2.50	2.25 8.00
grandiflora (canadensis x laevis) natural hybrid				.35	.85	3.00
laevis, Northern				.35	.85	3.00
oblongifolia (botryapium), truestolonifera				.45	1.15	3.75
stolonifera, dwarf, almost prostrate form				.45	1.00	3.50
stolonifera hybrid, laevis resemblance			.15	.45	1.50	
AMORPHA brachycarpa, remarkable new species only 3 ft.				25	PR PP	
tall, very conspicuous when in flower				.25	.75	1.60
fruticosa				.15	.25	.85
microphylla (nana)				.25	.75	
AMPELOPSIS aconitifolia	20		.25	.75	2.50	
aconitifolia glabra	.30					
henryana			.25	.75		
heterophylla (amurensis)			25	.35	.85	3.00
heterophylla elegans, variegatedheterophylla maximowiczi			.25	.75	.85	3.00
quinquefolia, dry berries				.15	.40	1.25
tricuspidata (veitchi) clean				.30	.75	2.50
tricuspidata. We are able to offer the true large-leaf type of this (A. Veitchi robusta) leaves to 8 in. across			.25	.75		

	nkt.	1/a OZ.	1/4 02.	oz.	1/4 lb.	lb.
ARALIA chinensis, Chinese Angelica tree		710	/	.40	.95	3.50
elata canescens			.20	.65		
hispida, Bristly Sarsaparilla				.25	.65	2.25
spinosa				.20	.40	1.50
ARBUTUS menziesi				.20	.50	1.75
unedo, clean			.25	.75		
ARCTOSTAPHYLOS tomentosa				.25	.60	2.10
uva ursi, New England seed				.20	.45	1.50
ARDISIA crenulata, Coral Ardisia				.35	1.00	3.00
japonica, Creeping Ardisia				.45	1.25	
ARISTOLOCHIA tomentosa			.15	.30	.50	1.50
ARISTOLOCHIA tomentosa			.13	.30	.50	1.30
ARONIA arbutifolia				.15	.30	1.00
arbutifolia brilliantissima, with shiny bright red fruit			.20	.50		
atropurpurea				.15	.35	1.25
melanocarpa				.15	.30	1.00
melanocarpa elata, Glossy Chokeberry shrub to 9 ft. high				.30	.70	2.50
ACUBETRIA I					25	1 05
ASIMINA triloba				.15	.35	1.25
AZALEA						
arborescens		.25	.50	1.80		
calendulacea		.20	.50	1.50		
canescens		.35	.75	2.50		
dilatata	.25	.40	1.25			
hinodegiri, see under Azalea Hybrids.	0.5	09.50				
indica macranthajaponica, with flowers of salmon, red and yellow shades,	.25	.75				
strain as originally introduced by the Arnold Arbo-						
retum, plants are entirely hardy in New England	.25	.75	2.00			
japonica, seed from Japan		.25	.70	2.50		
kaempferi, domestic seed, collected from New England						
garden specimens, a hardy strain	.25	.50	1.50	5.00		
ledifolia (mucronata)	.35	1.00				
ledifolia amethystina (magnifica) Blush Azalea, flowers						
blush-white, red dots on upper petals	.35	1.00	* 00			
mollis, choicest domestic	.20	.35	1.00	3.00		
mollis, seed from Japan		.75	2.50	1.23		
nudiflora		.35	1.00	3.00		
obtusa kiusiana (obtusa japonica) the original wild						
"kurume"	.35	1.00				
occidentalis		.30	.70	2.50		
pontica	.20	.40	1.10	3.50		
poukhanensis, from selected garden specimens	.35	.70	2.00	6.00		
rosea	.20	.40	1.50	4.75		
schlippenbachi, domestic hardy strainschlippenbachi, imported	.15	.30	.95 .75	3.50 2.50		
vaseyi	.15	.25	.55	1.75		
viscosa		.25	.60	2.00		
AZALEA Hybrids						
calendulacea x arborescens	.25	.45				
Ghent Hybrids (gandavensis) hybrids of Azalea pontica						
with American species, representing the most flori- ferous and brilliant Azaleas in cultivation. Seeds do						
not germinate as easily as those of mollis varieties and						
should receive special attention after planting. Spring						
planting seems to give best results. Domestic seed of						
named and un-named varieties	.25	.50	1.45	4.50		

	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
AZALEA HYBIDS (continued)						
Ghent Hybrids, named varieties at .50 pkt.; \$2.00 for						
1000 seeds, unless marked otherwise. Alba Odorata, pure white, sweet scented						
Albicans, white						
Altaclarensis, fine yellow	.25	.75	2.00	6.50		
Charlemagne, soft orange						
Comte de Flanders, orange						
Flamboyant, orange	0.5		2.00			
General Trauff, pink Heureuse Surprise, white shaded rose spotted nankeen	.25	.75 .75	2.00	6.50		
Othello, pink	.43	.15	2.00	0.50		
Prince Camille de Rohan, light orange						
William III, orange						
Mixture of named varieties		.35	1.00			
indica macrantha hybrida	.30	1.00				
kaempferi Hybrids						
kaempferi x indica crispiflora, flowers in indica	.50					
fashion, habit and hardiness of kaempferi	.50					
Named varieties:	.00					
Carmen, rose color	.50					
Cleopatra, old rose	.50					
Fedora, salmon rose	.50					
Othello, brick red	.50					
kurume, these are Garden forms and Hybrids of Azalea						
obtusa kiusiana (obtusa japonica), seeds of varieties						
offered are from our own pot-grown plants carefully hand-pollenized.						
Bridesmaid, fine salmon pink, our hand-pollenized						
seed is of amazing vitality, resulting in quick and						
even germination	.50					
Daybreak, light pink	.50					
Hinomayo, soft pink	.50					
Hinodegiri, hand-pollenized	.50					
Mixed	.50					
mollis x japonica (mollis x sinensis), a fine large flowered strain of mollis	.75					
mollis x occidentalis	.50					
mollis x viscosa	.25					
mollis, from plants with white flowers	.50					
mollis, from plants with flowers of cream color	.50					
mollis from named Hybrid varieties	.50					
obtusa arnoldiana (amoena x kaempferi) a fine hardy						
hybrid of kaempferi habit originated at Arnold Arbore-						
tum, more vigorous and free blooming than amoena. This plant deserves special attention for its brilliant,						
deep red fall coloring, with leaves persisting long after						
others have dropped	.45	1.50				
pontica hybrida (grandavensis) see Ghent Hybrids.						
BACCHARIS halimifolia				.45	1.50	
BEAUMONTIA grandiflora (tender), Herald's Trumpet,				. 10	1.00	
most remarkable evergreen vine with "Easter Lily"						
flowers						
BENZOIN aestivale				.15	.35	1.25
BERBERIS brachypoda	.25		.75			
candidula	.35					
chenaulti, evergreen Hybrid between gagnepaini and						
varruculosa, hardy North	.25					
Chinese Hybrids, hardy species	.20		,30			
dictophylla	.35					
gagnepaini	.35					

BERBERIS (continued)	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
koreana			.15	.55	1.25	4.50
thunbergi, dry berries				.20	.35	1.10 2.35
clean seedthunbergi atropurpurea, dry berries				.60	.65	5.00
clean seed				1.35		12.00
thunbergi erecta (pluriflora erecta), new Truehedge						
Barberry	.20		.50	1.50		
thunbergi maximowiczi			.25	.75 1.00	2.50	
thunbergi minor, Box-Barberry	.25		.33	1.00		
wilsonae	120		.50	1.75		
BETULA alba pendula (verrucosa) European Weeping or						
Silver Birch.				.25	.60	2.00
ermani				.30	1.00	
grossa, Japanese Cherry Birch			.20	.45		
jacki (pumila x lenta) large shrub	.20		.35	1.00		0 50
japonica japonica mandshurica, one of the best of Birches	.20		.30	.30 1.00	.75	2.50
lenta	.20		.30	.35	.75	2.25
lutea				.35	.75	2.25
maximowiczi	.25		.60	2.00		
nana	.25		.75			
papyrifera				.20	.60	2.00
papyrifera cordifoliapapyrifera kenaica, Alaskan Paper Birch			.30	.25	.65	2.25
papyrifera subcordata	.25		.50	1.00		
populifolia				.20	.40	1.50
pumila	.25					
BIGNONIA capreolata				.20	.50	1.75
grandiflora			.20	.60		
radicans				.20	.50	1.75
BROUSSONETIA papyrifera			.25	.75		
BUDDLEIA davidi (variabilis) magnifica			.25	.70	2,50	
davidi (variabilis) nanhoensis, dwarf variety to 4 ft. with						
flowers of rose color	.20	.30	.85			
domestic seed		.25	.60	2.00		
BUPLEURUM fruticosum	.25					
BUXUS microphylla koreana, domestic seedsempervirens	.20		.60	.25	.65	2.10
				120		-110
CAESALPINIA gilliesi, Bird of Paradise Shrub, an interesting shrub for the South, magnificent yellow flowers with						
red stamens in large clusters			.20	.60	2.00	
The state of the s						* 00
CALLICARPA americanaamericana alba	.20			.15	.30	1.00
japonica	.20			.45	1.50	
purpurea (dichotoma) domestic seed				.35	.90	3.00
CALLISTEMON rigidus	.20		.55	1.50		
speciosus	.20		.55	1.50		
CALLUNA vulgaris, capsulesclean		.30	1.00	.15	.40	1.35
vulgaris alba	.30	.50	1.00			
	,				-	* **
CALYCANTHUS floridusoccidentalis				.15	.35	1.25 2.25
				.50		4.40

CAMELLIA :	pkt.	1/16 OZ.	1/4 oz.			lb.
CAMELLIA japonica,				.25	.60	2.00
CARAGANA arborescensaurantiaca	.25			.15	.25	.75
boisi, new Pea-Shrub from Chinadecorticans	.20		.45	1.50		
fruticosa	.25		.45	1.50		
microphylla, true, Littleleaf Pea-Shrubpygmaea	.20		.35	1.00		
sophoraefolia, Hybrid Pea-Shrub (arborescens x micro- phylla).	.20		.35	1.00		
thibetica.	.25		.45	1.50		
CARPENTERIA californica		.35	.95	3.00		
CARPINUS betulus				.35	.75	2.50
caroliniana			0.5	.15	.35	1.00
cordatajaponica			.25	.75	.50	1.50
laxiflora				.20	.50	1.50
orientalis, smaller in all respects than betulus and on account of its moderate habit an excellent substitute						
for it				.35	.75	2.50
tschonoski				.50	1.50	
CARYA, see Hicoria.						
CARYOPTERIS glandoensis, hardy North	.50					
incana (mastacanthus)		.20	.60	2.00		
CASTANEA dentatamollissima					.50 .55	1.50 1.85
pumila, Northern seed, properly storedsativa.				.50	.15	.45
CATALPA bignonioides				.15	.30	.90
kaempferi (ovata) speciosa				.20	1.00	1.50
CEANOTHUS americana				.15	.40	1.25
arboreus	.25	,	.40	1.25	.40	1.44
arboreus hybridus	.25	•	.40	1.25		
azureus Gloire de Versailles	.20		.45	1.40		
cyaneusjepsoni	.20		.45	1,50		
pallidus romeum	.25		.35			
eanguineus	.45	5	.40	1.25		
spinosusthyrsiflorus			.15	.25	1.00	3.25
velutinus	.45	5				
CELASTRUS angulata latifolia	.35					
orbiculatus (articulatus), berries				.15		1.00
clean				.25		2.00
scandens, dry berries				.30		2.50
CELTIS chinensis.				.20		1.50
mississippiensis				.15		1.50
occidentalis				.15	.25	.75
tourneforti (orientalis)				.15		.75
CEPHALANTHUS occidentalis					.25	.75
CERATONIA siliqua				.25	.60	2.00
CERCIDIPHYLLUM japonicum	.25	5				

	pkt.	1/16 oz.	1/4 oz.	0%.	1/4 lb.	lb.
CERCIS canadensis, Southern seed				.15	.25	.85
Northern Seed				.20	.45	1.50
canadensis alba, white flowered Red Bud	.25			.45	1.00	3.75
chinensisoccidentalis				.25	.65	2.75
siliquastrum				.15	.35	1.25
siliquastrum alba, white				.45	1.00	
CHAMAEDAPHNE calyculata			.25	.75	2.25	
CHIONANTHUS virginica, clean				.15	.35	1.25
			-	.13	.00	1,40
CISTUS albidus laurifolius	.20		.50			
	.20		.30			
CITRUS trifoliata				.15	.45	1.25
CLADRASTIS (Virgilia) lutea,				.30	.60	2.10
platycarpa				.35	.75	2.50
CLEMATIS alpina		.25	.55			
armandi100 seeds, .35; 1000 seeds, 2.10	45					
columbianacoccinea (texensis)	.45	.25	.70	2.25		
coreana (Atragene coreana), yellow flowering Clematis		.20	.,,	2,20		
of easiest culture, hardy everywhere			.40	1.25		
crispa			.30	1.00		
douglasi	.20		1.20			
fargesi	.25					
flammula florida, the large flowered Oriental Clematis		.25	.55	.20	.60	2.0
fusca	.30	.25	.53			
heracleifolia, blue tub shaped flowers, fragrant			.15	.45	1.35	
heracleifolia davidiana campanile	.25					
integrifolia		.30	.95			
jackmani (floribunda or grandiflora) Hybrid Clematis,						
from large flowered Garden varieties		.25	.70	2.00		
ligusticifolia			.35	1.00		
shaped flowers in clear blue	.30	.45	1.50			
montana grandiflora		.20	.50	1.50		
montana rubens		.20	.50	1.50		
orientalis (graveolens)		.20	.50			
paniculata	95			.35	.85	2.8
pitcherirecta	.25		.15	.40	1.25	
recta mandshurica			.25	.75	1.43	
recta purpurea		.20	.35			
stans	.25					
tangutica, with yellow flowers, fine new Clematis			.25	.45	1.50	5.0
tangutica obtusiuscula	.25		.50			
texensis, see coccinea. veitchiana, fragrant yellow flower		.20	.50			
virginiana		D3m	.50	.25	.60	2.00
vitalba				.25	.60	2.00
vitalba taurica	.25		.70			
viticella				.40	1.00	3.50
CLERODENDRON fargesi			.25	.75		
trichotomum, Glorybower, attractive in foliage, with						
fragrant flowers and blue fruits, clean				.35	.95	3.00
CLETHRA accuminata			.25	.75		
alnifolia				.20	.45	1.50
barbinervis			.20	.50		
fargesi, fine, large shrub, hardy here			.25	.45		
COCCULUS carolinus			.15	.35		

	pkt.	1/6 OZ.	1/4 oz.	oz.	1/4 lb.	lb.
COLUTEA arborescens			25	.15	.30	1.00
mediamelanocalyx, graceful species	.20		.35	1.00		
CORNUS alba sibirica, clean				.35	.75	2,50
alternifolia				.20	.50	1.50
amomum					.20	.60
brachypoda (macrophylla)				.35	1.25	
canadensiscontroversa, Chinese Pagoda Dogwood, clean				.25	.65	2.25 3.00
florida, state your choice in seed of Northern or Southern				.33	.90	3.00
sources, dried berries					.15	.50
clean seed					.25	.90
kousa, Japanese Flowering Dogwood, clean				.30	1.00	2.00
nuttalli.				.20	.60	1.35
obliqua			.15	.35		
officinalis				.35	.90	3.00
paniculata, clean				.20	.45	1.50
rugosasanguinea.				.25	.60	2.00
stolonifera, clean				.15	.45	1.50
CORONILLA emurus, fine, flowering shrub with akazia-like						
foliage			.20	.50		
glauca			.20	.50		
CORYLOPSIS glabrescens.	.20					
pauciflora	.25		.75	2.50		
platypetala	.25		.75	2.50		
CORYLUS americana					.25	.70
avellana				.15	.25	.65
avellana atropurpurea				.20	.50	1.45
colurna, Tree Hazel, a fine shade tree				.25	.60	2.00
maxima				.15	.30	1.00
COTONEASTER acuminata			.15	.45	1.25	
acutifolia, dry berries				.20	.35	1.25
cleanacutifolia villosula,	.20			.30	.75	2.50
adpressa			.35	1.00		
adpressa precox	.20		.35	1.00		
affinis bacillaris	.20		.35	1.00		
ambiguaapiculata	.20		.30	.85	2.00	
bullata, clean			.20	.45	1.25	
bullata macrophylla	.20		.35			
conspicua decora, listed formerly as decora, Necklace Cotoneaster, new fine evergreen, prostrate species						
with foliage like Lonicera nitida, red berries strung						
along branches like beads in a necklace	.20		.35	1.00		
dammeri (humifusa)	.20	.25	.75	4.0		2 6"
dielsiana (applanata)dielsiana major, preferable to type				.40	.95	3.25 3.75
divaricata, clean				.40	.95	3.35
foveolata			.20	.50	1.50	
francheti			-	.30	.70	2.50
frigidaglabrata	.20		.25 .35	.75 1.00		
harroviana, evergreen	.20		.00	.55	1.30	
hebephylla	.25		.35	1.00		
henryana				.35	.80	2.75
horizontalis, clean			.25	.75	1.75	6.25

	pkg.	1/6 oz.	1/4 oz.	oz.	1/4 lb.	lb.
COTONEASTER (continued)						
horizontalis perpusilla	.20		.35	1.00		
humifusa, see dammeri.						
integerrima	.20		.35	1.00		
lactea (parneyi) close to harroviana, a fine new evergreen						
Cotoneaster of arching habit, fine foliage and pro-						
fusely fruiting	.15		.20	.45	1.30	4.50
laxiflora, see melanocarpa.			05			
laxifloralucida			.25	.75	.60	2.00
melanocarpa laxiflora, black fruited, flowers pinkish				.20	.00	2.00
in clusters	.20		.35	1.00		
melanocarpa, Leningrad variety, possibly the best form,						
with larger foliage and fruit than type	.20		.35	1.00		
microphylla, clean	20		.20	.50	1.50	
microphylla cochleatamoupinensis.	.30			.25	.60	2.00
multiflora			.20	.60	1.50	5.00
multiflora calocarpa			.20	.60	1.50	5.00
nitens	.20		.35	1.00		
obscura	.20		.35	1.00		
obscura cornifolia	.20		.35	1.00		
pannosa, cleanparneyi, see lactea.			.15	.45	1.00	
praecox, see adpressa.						
racemiflora soongarica			.25	.75		
racemiflora veitchi			.25	.75		
rosea			.20	.60	2.00	
rotundifolia (buxifolia)				.50	1.15	4.00
salicifolia			.25	.50	1.50	4.50
salicifolia floccosasimonsi.		.15	.40	.45	1.20	4.00
tenuipes, a refined acutifolia	.20		.35	1.00	1.20	4.00
tomentosa	.20		.35	1.00		
wilsoni (horizontalis wilsoni)			.25	.75	2.50	
zabeli		.15	.35	1.00		
zabeli miniata (gracilis) slender branched dwarf Coton-						
easter, 2 ft. upright habit, very attractive with its pendulous clusters of bright orange-scarlet fruit. A						
first class landscape plant	.25		.65			
CRATAEGUS, for fall planting, fresh berries are available at						
special prices.						
aprica					.25	.75
arnoldiana, clean				.25	.65	2.25
carrieri (lavallei)				-	.45	1.25
cleancoccinea, clean				.60	1.65	5.00 1.25
coccinoides, clean				.25	.45	2.25
cordata (phaenopyrum), fresh fruit					.00	.65
dry berries				.15	.40	1.20
clean				.25	.70	2.35
crus galli, fresh fruit10 lbs., 2.50; 100 lbs., 19.50					05	.30
dry berriesclean.				.20	.25	.75 1.60
douglasi				.20	.45	1.50
macrantha, with large thorns					.25	.75
mollis, described ahead, dry berries					.25	.55
clean				.20	.45	1.50
nitida, described ahead, dry berries				25	.25	.75
cleanoxyacantha, English Hawthorn, two stone variety				.35	1.00	3.00
oxyacantina, English Hawmonin, two stone variety					.00	2.00

	nkt	1/6 oz.	1/107	0.3	1/.16	lb.
CRATAEGUS (continued)	pac.	/16 02.	74 02	. 04.	74 10.	ID.
oxyacantha monogyna, English Hawthorn, one stone variety, the English Hawthorn of Colonial Gardens,						
clean persistens, with lustrous foliage and conspicuous orange-				.20	.45	1.50
scarlet fruit lasting well into late fall				.20	.40	1.25
pinnatifida, clean				.25	.75	
prunitolia, described ahead, dry berries					.25	.75
clean seed				.35	.70	2.65
punctata, described ahead, fresh fruit10 lbs., 3.00					95	.35
dry berriesclean.				.20	.25	.75 1.50
punctata aurea				.40	.25	.75
succulenta					.25	.75
tomentosa				.15	40	1.25
CYDONIA japonica				.35	.95	3.00
japonica, seed from Garden specimens of the tall flowering				,,,,		2,00
Quince of Colonial Gardens, here collected			.20	.55	1.25	4.50
japonica, collected from European garden varieties				.55	1.25	4.50
japonica alba grandiflora, with white flowers			.25	.75	05	
japonica pygmaea, Dwarf Quince maulei, Lesser Quince				.35	.95 .80	3.00 2.75
oblonga				*90	.70	2.25
superba (japonica crossed with maulei), fine upright						
garden shrubs, a little taller than maulei, large flowered						
with brilliant colors			.25	.75		
superba hybrids (superba crossed with japonica cathay-						
ensis), a new American race originated in California, with many new flower shades			.30	1.00		
with many new nower snades			.ou	1.00		
CYTISUS albus, the true albus dwarf shrub to 12 in., hardy						
North	.20					
albus pallidus, with flowers of pale yellow1/8 oz., .45	.25					
alpinus, see Laburnum.		.15	40	1.50		
austriacus		.13	.45	1.50		
than type		.25	.60	2.00		
battandieri, fine vigorous species with silvery foliage						
and laburnum-like flowers	.30		.50			
capitatus, see supinus.						
dallimorei	.30		mar per			
elongatus, to 3 ft., yellow flowers with brown marks glabrescens, compact shrub, bright yellow flowers	.25 .25		.75	1.50		
griesebachi, a dwarf supinus, fine for rock gardens	.25	.35	.00	1.00		
hirsutus (triflorus) to 2 feet, early flowering, clusters of						
buff flowers, very handsome Rock Garden shrub	.25		.60	1.80		
monspessulanus (candicans) Spike Broom, graceful						
semi-evergreen shrub up to 10 feet	.20		.50	1.35		
beautiful shrub			.25	.75		
multiflorus, White Gem, more compact, an improve-			-			
ment on preceding	.20		.50			
nigricans, late flowering to 4 feet, of graceful habit			.30	1.00		
praecox, fine, early, cream color	.35	.35				
praecox alba, charming whiteprocumbens	.20	.33				
purgans, low compact shrub, yellow flowers	.35					
purpureus, dwarf procumbent to 18 inches, purple flowers	.25		.85			
ratisbonensis, 10 seeds, .15; 50 seeds, .45				1		
scoparius, Scotch Broom, domestic seed				.30	.70	2.50
scoparius strictus, a valuable form with stiff, erect			.25	.75		
branches			.23	.73		

	pkt.	1/6 oz.	1/4 OZ.	oz.	1/4 lb.	lb.
CYTISUS (continued)	•	20				
scoparius sulphureus, Moonlight Broomscoparius, Garden Forms, charming garden plants de-			.15	.35	.75	2.50
serving widest attention, fine for the milder parts of the country, hardy with care in the North.						
andreanus, bicolored flowers	.20		.50	1.50		
andreanus Hybrids, all shades from yellow to red Named Varieties:	.25		.65	2.00		
Donard Seedling, garnet and yellow	.20					
Dorothy Walpole, velvety crimson Fulgens, fine new variety, orange suffused	.20	.30				
crimson	.20	.30				
Mayfly, orange shaded buff	.20					
sessilifolius, fine, erect, shrub-like habit, yellow flowers supinus (capitatus), described ahead			.20	.50 .75	1.75	6.50
DABOECIA polifoliapolifolia alba	.50					
DAPHNE laureola, clean			25	1 00		
mezereum			.35	1.00	1.55	5.50
mezersum (rubrum) from a garden strain with deep red flowers				.75	1.80	6.00
mezereum album, white25 seeds, .25; 100 seeds, .95						
mezereum alpinum			.40	1.25		
DAVIDIA vilmoriniana10 seeds, 1.50; 100 seeds, 10.00						
DENDROMECON rigidum, Bush Poppy		.20	.35	1.35		
DEUTZIA, all in clean seed.						
carnea, pink flowers		.20	.50			
elegantissimagracilis		.20	.50 .75			
grandiflora, the earliest to flower, having the largest						
flowers		.20	.50			
hypoglauca		.20	.50			
laxiflora schneideriana		.25	.50			
longifolia, of robust habit, purplish flowers in dense clusters		.20	.50			
magnifica, double white		.20	.50			
rosea campanulata, Bellflower Deutzia		.25	.75			
rosea eximium, Pink Choice Deutzia		.25	.75 .25	.75		
scabrascabra crenata			.25	.75		
scabra plena, double flowers flushed rosy purple			.30	1.00		
vilmorinae, fine new, robust and free blooming		.25	.50			
mixed seeds of garden varieties			.25	.95	2.50	
DIERVILLA (also see Weigela) sessilifolia	.20	.35				
DIOSPYROS kaki				.30	.80	2.75
lotus				.30	.80	2.75
virginiana virginiana, Northern				.15	.30	1.00
DIPELTA floribunda						1.00
DISANTHUS cercidifolius, Japanese shrub close to Hamamelis, fine Autumn color, claret red, suffused orange.	.20		.30	.75	2.50	
DORYCNIUM hirsutum, fine rock-garden shrublet, white- hairy foliage, white flowers. One of the real dwarfs,						
hardy here	.25					
intermedium, flowers white or pale yellow 45, 1/8 cm.	.25					
suffruticosum, flowers white flushed pink 45, 1/8 oz.	.25					
ECHINOPANAX horridum				.35	.80	2.75
21						

	pkt.	1/16 oz.	1/4 oz.			lb.
EDGEWORTHIA papyrifera				.40	1.25	
argentea, native Silver-Berry, one of the hardiest native					.20	.45
shrubs, with a silvery foliage and berrieslongipes			.25	.15 .75	.30	1.00
umbellata, extremely rugged and ornamental, resistant to wind and exposure				.25	.75	2.50
ELSHOLTZIA stauntoni, clean		.15	.45	1.50		
ENKIANTHUS campanulatus		.25	.45	1.25		
campanulatus albiflorus		.20	.50	1.50		
campanulatus palabini, with red flowers		.20	.50	1.50		
cernus rubens		.25	.45	1.50		
deflexus, fine new, robust and free blooming		.20	.35	1.00		
subsessilis	.35					
EPIGAEA repens, Mayflower or Trailing Arbutus, New Eng-						
land seed	.25	1.00	3.00			
ERICA carnea, Spring Heath			45	.25	.70	2.50
cinerea, clean	.25		.45	1.50		
cinerea, Knaphill variety.	.30					
lusitanica	.25					
mediterranea	.25					
scoparia			.20	.50		
stricta	.25					
vagansvagans alba	.25					
vagans St. Keverne vulgaris, see Calluna.	.25					
ERIOBOTRYA japonica, large fruited strain, broadleaved evergreen with highly ornamental foliage and edible fruit.				.25	.45	1.50
ERYTHRINA cristi-galli100 seeds, .85; 1000 seeds, 5.50	.20					1.00
ESCALLONIA floribunda	.25					
EUONYMUS alatus				.35	.90	3.00
americanusatropurpureus (Wahoo)				.20	.45	1.50
bungeanus				,35	.75	2.50
europaeus				.20	.45	1.50
clean				.35	.95	3.00
europaeus intermedia, large leaved, with bright red fruit			.20	.50	-	0.00
japonicuslanceifolia			20	.25	.60	2.00
latifolius			.30	.25	.75	2.50
macroptera	.20		.30	120		2.00
obovata, ground cover Euonymus	.25					
oxyphylla				.35	1.00	
patens (sieboldianus)			.20	.50	1.50	
planipes	.25		.75	2.25	00	2 00
radicanssachalinensis, conspicuous in foliage and fruit, clean				.35	1.00	3.00
sanguinea	.20		.30	.40	1.00	0.00
yedoensis				.30	.70	2.35
EUPTELEA polyandra			.20	.35		
EUSCAPHIS japonica, handsome feathery foliage and bright						
colored pod-like fruits and steel-bue seeds	.20		.25	.75		
יייי פטטעם אווע מווע מווע מווע מווע מווע מווע מווע	.20		.20	.13		

EVODIA danielli	pkt.	1/6 oz.	1/4 oz .20	. oz.		lb.
EXOCHORDA giraldi	.30					
giraldi wilsoni grandiflora			.25	.75 .20	2.25 .35	1.25
korolkowi (alberti) macrantha	.30		.25	.75		2.00
FAGUS americana				.15	.30	1.00
FORSYTHIA europaea	.30					
japonica saxatilis	.35					
ovata	.35					
suspensa fortuneigarden forms	.35		.45	1.25		
FOTHERGILLA major	.35		.75			
monticola	.35		.75	2.50		
FRANKLINIA (Gordonia) alatamaha 10 seeds, .65; 100 seeds, 5.50						
FRAXINUS americana					.15	.40
lanceolata					.20	.25
longicuspis				.40	1.35	
mandshurica nigra (sambucifolia)				.40	1.35	1 05
oregona				.15	.35	1.25
ornus				.15	.35	1.25
pennsylvanica				.15	.25	.95
quadrangulatavelutina				.20	.45	1.50 3.00
FREMONTIA californica	.20		.35 .55	1.25 1.75		
mexicana	.50					
GARDENIA florida			.25	.75		
GAULTHERIA antipodaovatifolia	.35 .35					
procumbens	.55			.35	.90	3.00
shallon			.20	.45	1.20	4.25
GAYLUSSACIA baccata			.20	.35	.80	2.85
GENISTA aetnensis				.45	1.25	
alba, see Cytisus multiflorus. anglica	.30					
candicans, see Cytisus monspessulanus.						
germanica, to 2 feet, bears spines, one of the hardiest monosperma, to 4 feet, fine species for mild climate, with	.20		.30			
white flowers			.20	.50		
pilosa, dwarf trailing	.30		95	75		
radiata, dense shrub to 3 feetsagittalis, a low spreading plant for rock gardens	.25		.25	.75		
tinctoria, shrub to 2 feet, late flowering, the best known and most widely planted.				.30	.75	2.50
				.00	.20	.50
GINKGO biloba, domestic seed				-		
GLEDITSIA japonica (horrida)sinensis				.25	.60	2.00
				.20	.50	1.75
triacanthos. triacanthos inermis.					.15	.50

	plet	1/16 OZ.	1/4 07	07	1/.116	lb.
HALESIA dipteramonticola	pkt.	715 04.	74 02.	.30	.75	2.25
monticola rosea, with pink flowers				.50	1.50	2.00
monticola vestita, best of native Silverbells, large flowered, robust habit				.30	.75	2.50
tetraptera				.20	.35	1.00
HALIMODENDRON halodendron (argenteum)	.20		.60	2.00		
HAMAMELIS japonicajaponica flavo-purpurascens	.25		.15	.45	1.25	
vernalis, seed from New England garden specimens	.23		.20	.55	1.75	
vernalis tomentella, preferable for its smaller size	.20		.35	1.00	2,,,,	
virginiana				.20	.50	1.75
HEDERA helix				.30	.70	2.50
HESPEROYUCCA whipplei				.45	1.10	3.75
HIBISCUS syriacus, all colors				.35	.90	3.00
HICORIA (Carya), large quantities priced on request.						
alba (tomentosa)						.20
glabra (porcina)						.25
laciniosa						.20
ovata (alba)						.20
ovata, Northern seed						.35
pecan (olivaeformis), hardy Northern						.40
HIPPOPHAE rhamnoides, clean			.35	1.00		
HOLODISCUS discolor			.20	.60	2.00	
			.20			2 50
HOVENIA dulcis				.40	1.05	3.50
HYDRANGEA arborescens arborescens australe	.20	.40	.20	.45		
bretschneideri	.20	.40				
bretschneideri glabrescens	.20	.40				
cinerea	.20	.40	3 05			
paniculata praecox, Early Panicle Hydrangea paniculata tardiva, Late Panicle Hydrangea	.20	.40	1.25			
petiolaris, domestic seed, if you do not know how to grow						
from seed, inquire for planting directions	.20	.35	1.00	2.50		
radiata	.20	.40				
xanthoneura setchuenensis	.20	.40				
xanthoneura wilsoni	.20	.40				
HYPERICUM (fine seeds, sow on Sphagnum Moss)						
arnoldianum, a garden gem, miniature shrub to 2 ft. of						
aureum-like habit		.25	.60	1 00		
calycinum, evergreen ground-cover plant		.20	.35	1.00		
densiflorum, fine hardy native shrub		.20	.35	1.00		
frondosum.		.20	.35	1.00		
kalmianumpatulum grandiflorum	.20	.30	.35	1.00		
patulum Henryi	.25	.45				
polyphyllum, prostrate sub-shrub, fine for rockeries	.25					
prolificum, fine hardy shrub, most vigorous of the native		00	25	1.00		
Hypericums		.20	.35	1.00		
IDESIA polycarpa	.20		.25	.75	2.50	9.00
ILEX aquifolium, domestic, French strain				.15	.30	1.00
clean				.30	.60	2.15

	pkt. 1	/6 OZ	1/4 oz.	02.	1/4 Jb.	lb.
ILEX (continued)		20 -20	,,,			
cornuta, cleancrenata				.60	2.00	
decidua				.25	.40	1.50
dubia macropoda, domestic				.30	.75	
glabra, New England seed, a hardy strain				.25	.55 .35	2.00
integra			.20	.50	1.75	1.00
latifolia, clean			.35	1.00		
laevigata				.30	.70	2.75
monticolaopaca				.25	.55	2.00
clean				.25	.65	2.00
opaca, from its Northern limit around Boston				.30	.75	2.50
pedunculosa, cleanserrata (sieboldi)			.25 .25	.75		
verticillata, New England seed			.23	.15	.35	1.00
New Engand seed, clean				.45	1.00	3.50
vomitoria				.15	.45	1.25
ILLICIUM anisatum			.25	.75		
INDIGOFERA dosua kirilowi	.20 .25		.50 .50	1.50		
ITAEA virginica				.30	.70	2.50
JUGLANS, large quantities priced on request.						
californica						.35
californica hindsi						.35
cinerea. New England seed.						.20
cinerea x sieboldiana						.30
cordiformis ≡ mandshurica10 seeds, .35						
mandshurica				.25	.60	2.00
nigra New England or Prairie States seed						.18
regia						.45
sieboldiana					.50	1.50
KADSURA japonica	.20			.50		
KALMIA angustifolia, clean		.20	.40	1.25		
latifolia, clean		-	.30	1.00		
latifolia, New England seed, clean		.25	.60	2.00		
KERRIA japonica				.35	1.25	4.50
KOELREUTERIA paniculata				.25	.60	2.00
KOLKWITZIA amabilis, clean			.25	.60	2.00	
LABURNUM alpinum				.45	1.10	4.00
vossivulgare	.30			.45	1.05	3.75
LAGERSTROEMIA indica				.20	.40	1.50
LAUROCERASUS caroliniana					.30	1.00
LAURUS nobilis				.25	.60	2.00
LAVENDULA spica, Munstead variety	.25					
LEIOPHYLLUM buxifolium prostratum, fine dwarf ever-						
green shrub	.35					

	pkt. 1	6 oz.	1/4 oz.		1/4 lb.	lb.
LESPEDEZA bicolor alba				.25 .25	.70	2.25
buergeri, flowers of purple-lilac				.35	1.00	4.43
formosa (japonica)				.25	.70	2.25
formosa albiflora				.30	.75	2.50
LEUCOPHYLLUM texanum		.25	.75	2.50		
LEUCOTHOE catesbaei, New England seed, clean		.15	.35	1.00	3.50	
LEYCESTERIA formosa, clean		.20	.60	2.00		
LIGUSTRUM acuminatum			.20	.50		
acutissimumamurense			.20	.50	.25	.90
delayayanum	.20		.35	.10	.20	
ibota					.25	.75
japonicum				.15	.25	.75 .75
lucidumnepalense.				.25	.40	1.50
sinense,				.25	.60	2.00
vulgare				.15	.30	1.00
LIQUIDAMBAR styraciflua				.30	.75	2.50
LIRIODENDRON tulipifera				.15	.25	.60
LONICERA alpigena			.35	1.00		
alpigena nana	.20		.40	1.25		
bella			.20	.60 .75	2.00	
coerulea praecox			.25	.75		
henryi	.20					
hirsuta, native Honeysuckle with blue edible berries				.35	1.00	3.50 5.00
japonica hallianakorolkowi			.35	1.00	1.40	5.00
maacki, beautiful in flower and fruit				.40	1.50	
maacki podocarpa			.20	.60	2.00	
morrowiorientalis			.25	.35	1.00	
periclymenum, the original English "Woodbine"	.25		.23	.13		
ruprechtiana, a fine new species	.20			.40	1.25	
tatarica				.25	.65	2.25
tatarica, red floweredtatarica, yellow fruited				.35	.95	3.00
tatarica virginalis (elegans)			.25	.50	1.50	
xylosteum, clean				.35	.95	3.00
LYCIUM chinense			.25	.65	2.00	
LYONIA ligustrina		.20	.50	1.50		
MAACKIA amurensis				.35	.95	3.00
chinensis			.20	.50		
MACLURA pomifera				.15	.30	1.00
MAGNOLIA acuminata				.15	.45	1.50
fraseri				.55	1.35	4.50
glauca				.25	.60	2.00
grandiflorahypoleuca (obovata)				.20	.40 1.30	1.50
soulangeana, clean				.60	1.55	5.50
stellata	.25		.50			
stellata rosentrinetala	.25		.50	1.50	400	1 50
tripetala				.20	.45	1.50

	pkt.	1/6 oz. 1/4 oz	oz.	1/4 lb.	lb.
MAHONIA aquifolium			.30	.75	2.50
nervosa	.45		.35	1.00	1 00
repens		.20	.20	.45	1.60
		.20			
MALUS baccata (sibirica) domestic dry pomes			.15	.35 1.35	1.35
clean seed			.35	.75	2.50
coronaria, clean			.35	.85	2.15
ioensis		.25	.75	2.50	
ioensis z pumila, the common eating apple crossed with					
the hardy ioensis	.20	.35	15	25	1 00
prunifolia rinki (ringo)			.15	.35	1.35
robusta persicifolia, Peach Leaf Cherry Crab			.15	,60	2.00
sargenti			.15	.60	2.00
sieboldi, clean	.20		.50	1.45	4.50
sieboldi arborescens			.30	.75	2.25
sylvestris, the true species		.30	1.00	-	0.50
theifera, domestic dry pomestoringoides, Cutleaf Crab, in fruit (resembling Napoleon			.35	.75	2.50
Cherries) one of the handsomest of Crab-Apples			.35	.75	2.50
zumi, clean	.20		.50	1.35	4.50
zumi calocarpa (sieboldi caloc.)		.20	.50		
MELIA azedarach			.15	.35	1.2
azedarach umbraculiformis			.20	.50	1.7
		-			
MELIOSMA myriantha		.25	.75		
MENISPERMUM canadense			.25	.60	2.00
MERATIA praecox (Calycanthus praecox) fine garden shrub,					
Spring flowering, fragrant			.30	.90	3.00
praecox grandiflorus		.20	.50	1.65	4.50
MORUS alba			.20	.40	1.50
alba moretti, large foliage		.20	.50		
alba rosea, with rosy foliage	.20	.35	.15	.40	1.5
rubra			.25	.65	2.2
MYRICA carolinensis			.15	.30	1.00
cerifera		150		.55	1.75
MYRTUS communis, clean		.20	.50		
NANDINA domestica			.15	.40	1.5
clean			.35	.90	3.2
NEMOPANTHUS mucronatus			.25	.50	1.85
			.15	.35	1.00
NYSSA aquatica sylvatica, Southern origin			.15	.25	.8
sylvatica, true Northern seed			.15	.35	1.0
	20				
DNONIS fruticosanatrix	.30				
	.50				
ORIXA japonica			.35	1.00	3.50
OSTRYA virginiana			.15	.40	1.25
vulgaris			.30	.85	2.7
OXYDENDRON arboreum			.15	.40	1.2
arboreum, clean		.15 .25	.75		
PAEONIA, delavayi, dark crimson	.30	.95	2.50		
	.30	.95	2.50		
lutea, yellow					

	pkt	1/16 OZ.	1/4 07	OZ.	1/4 lb.	lb.
PALIURUS spina christi (aculeatus)	pice	/10 0225	/4 02	.15	.40	1.25
PASSIFLORA incarnata				.20	.40	1.20
PAULOWNIA tomentosa				.25	.65	2.25
PERIPLOCA graeca	.25					
PETTERIA ramentacea, laburnum-like shrub to 5 ft., flowers in upright racemes	.25					
PHELLODENDRON amurense				.35	.85	3.00
PHILADELPHUS, all in clean seed						
coronariusdelavayi, remarkable for its large flowers and extreme			.20	.60	1.40	5.00
fragrancegrandiflorus		.25	.75 .60	2.00		
gordonianus	.25			4.00		
incanus, late flowering Mock Orange		.25	.75			
lewisi	.35	.25	.75			
pekinensis		.25	.75			
pubescens		.25	.75			
purpurascens, one of the most profusely blooming, flowers with purple calyx		.20	.60	2.00		
splendensvirginalis	.25	.25	.75			
Garden varieties in mixture				.85	2.50	
PHILLYREA angustifolia				.35	1.00	
PHOTINIA (Heteromeles) arbutifolia				.20	.40	1.50
glabra, clean				.40	1.25	4.50
serrulata				.45	1.05	3.50
villosa, clean				.40	1.10	3.50
				.40		
PHYSOCARPUS (Spiraea) opulifolius, clean					.95	3.00
PIERIS floribunda, New England seed, cleanjaponica, domestic, clean		.25	.60	.55 2.00	1.75	
mariana, fine hardy shrub, clean		.15	.25	.60		
PLATANUS occidentalis					.25	.75
orientalis					.25	.75
racemosa				.30	.75	2.50
POINCIANA gilliesi, see under Caesalpinia.						
POLYGONUM aubertibaldshuanicum	.30					
POTENTILLA fruticosa		.20	.35	1.00	3.00	
fruticosa Friedrichseni, vigorous variety, large light						
yellow flowers	.25	.25	.75			
fruticosa parvifolia	.20	.20	.60	2.00		
fruticosa veitchi, white flowerstridentata	.25	.25 .50	.75 1.50			
PRINSEPIA chinensis, a shrub of extreme hardiness (hailing from Interior Manchuria) the first in early spring to						
unfold its bright green foliage, bearing edible fruit	.25		.35	1.00	2.00	
PRUNUS, americana, clean				.15	.35	1.10
angustifolia, Chickasaw Plum, fruit red or yellow, early ripening				.25	.60	2.00
00						

	pkt. 1/16 oz.	1/4 07	07	1/4 lb	Ib.
PRUNUS (continued)	PAC: /16 02:	/4 02.	02.	/4 10.	
armeniaca ansu			.35	1.00	
armeniaca ansu Mikado, clean			.40	1.25	
avium, clean			.15	.30	1.00
besseyi, Western Sandcherry, clean			.15	.45	1.60
capuli, Ecuador Cherry		.20	.50		
caroliniana, see Laurocerasus.					
cerasifera, clean				.35	1.00
demissa melanocarpa (virginiana melanocarpa), clean.			.15	.35	1.25
gravesi, close to maritima		.20	.50		
hortulana, clean			.40	.90	3.50
ilicifolia			.20	.40	1.50
incisa, clean			.40	1.00	3.50
japonica, cleanjaponica Nakai	.25		.30	.75	2.50
lanata, clean	.23		.40	.90	3.50
lannesiana, clean			.30	.75	2.50
lyoni (integrifolia) Catalina Cherry			.15	.40	1.50
mahaleb, clean			.20	.55	1.75
maritima, New England seed			.15	.30	1.00
mume, clean			.25	.40	1.50
munsoniana, clean			.35	1.00	
nigra, clean			.20	.40	1.50
pennsylvanica			.20	.45	1.60
pumila susquehanae					
reverchoni, clean			.40	.80	3.50
serotina				.20	.65
clean			.15	.30	1.10
serrulata, clean			.40	.95	3.00
serrulata sachalinensis, clean			.40	1.00	2.50
spinosa, clean			.35	.80	2.75
subhirtella, clean			.40	1.05	3.25
subhirtella pendula, clean			.45	1.15	3.75
tomentosa, clean			.55	1.45	4.50
tomentosa endotricha, white flower variety	.25				
triloba, clean			.30	.70	2.50
virginiana, clean			.15	.45	1.50
yedoensis, clean			.35	.85	2.75
PTELEA trifoliata			.15	.35	1.20
PYRACANTHA coccinea			.15	.35	1.25
coccinea lalandi, hardy strain, here collected			.20	.50	1.75
formosana		.35	1.00		2
yunnanensis			.20	.40	1.50
•	Manager 1				
PYRUS betulaefolius, an ornamental pear with attractive					
foliage and white flowers, a small tree of graceful habit		.20	.50	1.50	
communis			.35	.75	2.50
QUERCUS alba, New England seed only 10 lbs., 2.50					.35
bicolor					.20
borealis, see rubra ambigua.					
coccinea, when you purchase seed of the Scarlet Oak					
from us you will receive Quercus coccinea Muench					
and nothing else.					
Northern only					.25
coccinea, hand-selected export grade10 lbs., 3.00					.35
ilicifolia, Northern only					.35
laurifolia					.25
lyrata10 lbs., 2.50					.35
macrocarpa, Northern only10 lbs., 1.50					.20
90					

	pkt.	1/16 OZ	. 1/4 oz.	oz.	¼ lb.	lb
QUERCUS (continued)						
marilandica						.30
nigra						.20
palustris						.2
phellos						.3
prinus						.2
robur						.3
rubra						.2
rubra, hand-selected						.2
rubra ambigua (borealis) seed from selected trees with						
straight undivided trunks 10 lbs., 3.00						.3
rubra ambigua, hand-selected10 lbs., 2.00						.3
stellata						.3
velutina						
virginiana						.4
Acorns are available for fall, winter and spring planting						
as far as stocks permit.						
HAMNUS californica				.30	.65	2.2
cathartica				.15	.30	.9
crenata			.25	.75	.00	
dahurica				.50	1.35	4.5
fallax					2.00	
frangula				,20	.50	1.5
purshiana, clean					.50	1.7
rupestris			.25	.75		
HODORA, canadensis (see Rhododendron canadensis)						
HODODENDRON ambiguum, yellow	.50					
augustini	.50					
californicum		.25	.75	2.50		
californicum, white	.35					
canadensis (Rhodera can.)	.30	.60	2.00			
carolinianum		.15	.35	1.00		
carolinianum, New England seed		.20	.50	1.50		
carolinianum album, New England seed	.20	.45	1.25	3.50		
catawbiense		.20	.35	1.00		
catawbiense, from New England garden specimens		.20	.40	1.25		
catawbiense compactum		.20	.40	1.25		
caucasicum coriaceum	.35					
dahuricum	.15	.35				
davidi subseries, new Wilson species, strong grower, light						
pink, carmine blotch	.50					
ferrugineum	.20	.35	1.00			
fortunei, see under Hybrids.						
hirsutum	.20	.35	1.00			
lepidotum	.50					
maximum		.15	.30	1.00		
maximum, apart from ordinary stock often found in						
plantings the Rosebay Rhododendron in its large-						
leaved forms is quite a noble plant. We offer seed						
from large-leaved and large-flowered garden specimens		.25	.60	2.00		
maximum purpureum	.50					
metternichi, see Hybrids.						
micranthum	.65					
minus (punctatum), New England seed	.20	.35	1.00			
mucronulatum	.30	.85	3.00			
ponticum, for understock, domestic seed		.25	.60	1.75		
punctatum, see minus.	-					
racemosum	.50					
racemoaum oleifolium1/32 oz., 1.35	.75	1 05				
smirnovi	.50	1.25				

BUODODENDON HABBIDG	pkt.	16 OZ.	1/4 oz.	02.	1/4 lb.	lb.
RHODODENDRON HYBRIDS carolinianum x racemosum, charming new race,						
dwarf Carolinianum—bright pink flowers before						
Carolinianum	.50					
catawbiense Hybrids, New England seed		.25	.75	2.50		
catawbiense x maximum, (wellesleyanum), as the result						
of crossing the two hardiest native Rhododendron						
species, this race is of great promise		.35	1.00			
catawbiense metternichi	.50					
fortunei hybrids	.35	.75	2.00	6.00		
Named Hybrids:						
Boule de Neige, white	.50					
Dr. Dresselhuys, red	.50					
Everestianum, lilac	.35					
Grandiflorum	.35					
Parson's Gloriosum, rose	.50					
Purpureum Elegans, purple	.50					
Ponticum hybrids	.50					
HODOTYPOS kerriodes				.30	.65	2.2
HUS canadensis				.15	.25	.7
canadensis, clean				.20	.45	1.5
cismontana				.25	.45	1.5
copallina				.15	.30	.80
glabra					.20	.60
integrifolia	.20			.40	1.00	3.5
laurina	.20			.40	1.00	3.5
ovata	.20			.50	1.20	4.0
trilobata				.20	.45	1.5
typhina					.25	.7
IBES aureum			.20	.65	1.85	
aureum chrysococcum			.35	1.00		
cynosbati	.25					
fasciculatum			.20	.60	2.00	
grossularia			.25	.75		
odoratum			.25	.75		
sanguineum, clean			.35	1.00		
			.25	.75		
OBINIA fertilis, pods						
Kelseyi, pods			.25	.75	.25	.75
pseudoacaciaseed from Idaho				.15	.35	1.00
pseudoacacia bessoniana				.20	.40	1.50
pseudoacacia pyramidalis				.20	.50	1.75
				.20		4.,,
OMNEYA coulteri, Matilija Poppy, striking half-shrub	95		CF	2.10		
with glaucous foliage and large white Poppy flowers	.25		.65			
OSA acicularis, a native rose from the extreme North			.15	.20	.45	1.50
acicularis nipponica			.20	.50	1.50	
alba			.20	.50		
alpina (pendulina)			.20	.50		
arvensis			.20	.50		
banksiae (banksiana)	.25			=-		
bella			.20	.50	-	
blanda				.15	.35	1.25
blanda, clean.			20	.50	1.20	4.00
blanda hispida, vigorous and free fruiting			.20	.50	1 95	
californica			.15	.35	1.25	1.50
canina			.20	.50	.45	1.56
				.50		
canina inermis			20	EC		
canina inermis. centifolia cinnamomea			.20	.50	1.00	

ROSA (continued	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
corymbifera (dumetorum)			.20	.50		
dahurica			.20	.25	.60	2.00
ecae (primula)10 seeds, .20; 100 seeds, 1.50						
filipes	.25					
fujisanensis			.25	.75		
gentiliana, rambler, with ornamental foliage, white frag-						
rant flowers in clusters	.35					
gymnocarpa	.45		05			
harisoni, fine yellow shrub rosehelenae.	.15		.25	.75		
hibernica	.15		.20	.50		
horrida, Barbstem Rose			.20	.50		
hugonis, the true Father Hugo's Rose				.35	.90	3.00
humilis				.15	.45	1.35
koreana	.25					
laxa (Retz), the true laxa				,25	.65	2.25
lucida (virginiana)				.15	.30	.95
lucida, clean				.60	1.35	5.00
lucida (virginiana) alba, white flowered Meadow Rose	.35					
macouni				.20	.45	1.50
maximowicziana			20	.40	.95	
maximowicziana jacki, variety without bristles			.20	.50		
maximowicziana pillosa, fine hardy creeper, one of the best ground cover roses			.20	.50		
micrantha			.20	.50		
microcarpa	.25		.20	.50		
microphylla			.20	.50		
moyesi, vigorous species, with deep red flowers	.30		.75			
multiflora, hips				.15	.25	.75
multiflora, clean				.20	.45	1.60
multiflora, garden variety, with double flowers of cream						
color			.20	.50		
multiflora cathayensis			.15	.35		
multiflora nana, Baby Rose, starts flowering three	0.7					
months after sowing	.25			.15	AF	1 50
nutkana				.25	.45	1.50
palustris				.15	.35	1.10
pisocarpa				.20	.50	1.10
roxburghi (microphylla)			.15	.35		
rubiginosa			•••	.15	.30	.85
rubiginosa, clean				.20	.55	1.85
rubrifolia				.20	.45	1.50
rugosa, clean				.30	.75	2.50
rugosa alba, clean				.40	.75	3.50
rugosa hybrid, double red			.20	.50	.,,	0.00
rugosa kamtschatica			.20	.50		
sericea	.25		.50			
setigera, hips				.15	.35	1.25
clean				.30	.70	2.50
setigera tomentosa				.20	.50	
spaldingi			.20	.50		
spinosissima, an old time garden jewel of extreme						
hardiness				.15	.35	1.35
spinosissima, white flowered (altaica), fine vigorous						
variety				.30	.70	2.50
spinosissima, yellow flowered (sulphurea)			.35	1.00		
spinosissima, from garden forms with double flowers				.40	.95	3.00
spinulifolia			.20	.50		
suffulta (pratincola) a native rose from the extreme North			.15	.30	.80	
20						

ROSA (continued) tomentella obtusifolium, most vigorous shrub rose,	pkt.	1/16 oz.	1/4 oz.	oz.	1/4 lb.	lb.
to 10 ft., with clusters of large bright red fruittomentosa			.20 .15	.50 .35		
villosa (pomifera) very large apple-like fruits, fine for preserves, clean			.35	1.00		
webbiana wichuriana, clean	.25			.25	.65	2.35
willmottiae	.25		.35	1.00		
SAMBUCUS canadensis, clean.				.15	.35	1.25
coerulea nigra, clean racemosa, clean			.15 .20 .20	.30 .50	.50	2.50
SAPINDUS mukorossi				.20	.35	1.35
SAPIUM sebiferum, Chinese Tallow-Tree, planted for its brilliant fall coloring				.25	.60	
SASSAFRAS variifolium				.20	.35	1.00
SCHINUS molle				.15	.35	1.25
SCHISANDRA chinensis	.25					
SCHIZOPHRAGMA hydrangeoides				.55	1.20	4.50
SHEPHERDIA argentea canadensis.				.15	.45 .95	1.50 3.50
SKIMMIA japonica			.20	.50		
SMILAX rotundifolia				.20	.40	1.25
SOPHORA japonica				.25	.55	1.85
japonica pendula. secundiflora, fine Mexican S. violet flowered vicifolia, graceful shrub, hardy north			.20	.30 .40	.75 .95 1.50	2.50 3.50
SORBARIA arborea		.20	,35	1.00	2.00	
assurgens sorbifolia		.20	.35	1.00		
SORBUS americana				.15	.35	1.25
aria, cleanaucuparia			.20	.50	.25	.75
domestica				.55	2.00	2.00
dumosa (scopulina) Rocky Mountain Mountain-Ash	.20			.23	.60	2.00
SPARTIUM junceum			.20	.50		
SPIRAEA, all in clean seed, seed is fine and a little goes a long way.						
albiflora (japonica alba)bumalda atrorosea, dark rose color	.20	.35	1.00			
bumalda froebeli, bright crimson		.35	1.00			
douglasihenryi	.25	.25	.60	2.00		
japonica, pink flowers	****	.35	1.00			
menziesi		.25	.75			
nipponica tomentosa, hulls		.20	.50	.25	.60	2.00
trichocarpa		.20	.50	1.50	.00	
veitchi	.25					
wilsoni	.25					

	pkt. 1	16 OZ.	1/4 oz.	ez.	1/4 lb.	lb.
STAPHYLEA bumalda				.25	.75	
colchica grandiflora			.20	.50		
holocarpa			.25	.75		
				.20	.50	1.75
trifolia				.20	.50	1.70
STEPHANANDRA chinensis	.25					
STEWARTIA koreana	.25	.50				
monadelpha	.25	.50				
pentagyna				.40	1.00	3.25
pentagyna grandiflora	.25	.50				
pseudocamellia	.25	.50				
serrata	.20	.35	1.00	3.00		
OMEN A RESIDENCE A ST. A. S.	20			ro.	1 50	
STRANVESIA davidiana	.20			.50	1.50	
STYRAX americana				.20	.45	1.50
japonica				.20	.45	1.50
obassia	.25			.25	.60	2.00
officinalis	.23					
SYMPHORICARPOS chenaulti			.20	.50		
Facemosus				.20	.45	1.50
vulgaris				.20	.35	1.25
SYMPLOCOS paniculata (crataegoides), clean				.35	1.00	3.50
SYRINGA amurensis			.20	.50	1.25	4.50
dilatata, clean.			.25	.75	1.20	7.50
henryi lutece	.20		.20	.35	.90	3.00
hyacinthiflora (oblata x vulgaris)	.20		.25	.75	.50	3.00
			.20	.50	1.25	4.50
japonica						
josikaea, true			.20	.55	1.35	5.00
josikaea pallida	.20		.25	.75	2.00	
josikaea rosea	.20		.35	1.00		
julianae microphylla, much favored Chinese species, small	.20		.45	1.50		
shrub to 5 ft., flowers pale lilac in June and again in						
late Summer			.30	1.00		
nanciana "Floreal" (henryi x sweginzowi) hardier than						
sweginzowi			.25	.75		
oblata, clean			.35	1.00		
palibiniana early flowering species from Korea, elegant						
shrub with lilac-mauve flowers, clean			.35	1.00		
pekinensis			.20	.50	1.25	4.50
persica	.25					
pinetorum	.25					
potanini	.25					
prestoniae, hardy hybrid race, villosa reflexa, developed						
in Canada	.35					
reflexa	.25		.75			
tomentella			.25	.75		
velutina			.25	.75		
velutina excellens			.30	1.00		
villosa, clean				.70	1.65	6.00
villosa rosea, flowers of rose color			.35	1.00		
vulgaris, clean				.50	1.25	4.50
seed as collected				.20	.50	1.75
white, seed as collected				.35	.80	3.00
vulgaris nana, a new dwarf race of great promise	.25		.50			
vulgaris, large flowered-horticultural varieties, (French Hybrids)						
Amethyst, violet pink			.25	.75		

SYRINGA (continued)	pkt.	1/16 OZ.	1/4 oz.	025	1/4 16.	lb.
Charles X, red			.25	.75		
Horstenstein, deep purple			.25	.75		
Jan van Tol, white			.25	.75	1 50	
Lucy Baltet, old rose			.20	.60 .75	1.50	
Macrostachya, Long-cluster Lilac, rose Professor Sargent, lilac-rose			.25	.75		
Red—Double flowered			.35	1.00		
Virgin, vigorous, single white			.25	.75		
White—Double flowered			.35	1.00		
French Hybrids, saved from domestic collections of						
named varieties, this seed in preference to ordinary vulgaris seed, will produce Lilac plants of dis-						
tinction				.50	1.25	4.50
yunnanensis	.20	.35				
TAMARIX gallica	.25			.30	.75	2.50
TERNSTROEMIA japonica				.35	1.25	
				.15	.40	1.25
THEA sinensis						
TILIA americana (glabra)				.15	.25 1.20	.70
amurensisargentea, see tomentosa.				.45	1.20	
cordata (parvifolia)				.25	.60	2.00
cordata cordifolia, Heart-leaf Linden, the best cordata						
form				.30	.75	2.50
japonica				.30	.75	2.50
platyphyllos				.25	.60	2.00
tomentosa						3.00
TRIPTERIGIUM regeli				.40	1.50	
ULEX europaeus				.35		
europaeus nanus			.25	.75		
ULMUS americana						.60
campestris				.30	.75	2.50
hollandica parvifolia parvifolia			.25	.25	.60	1.00
pumila			.23	.15	.35	1.25
·						
UMBELLULARIA californica, California Laurel, one of the finest of American Evergreens, fairly hardy				.25	.75	2.50
VACCINIUM atrococcum			.20	.50	1.50	3.00
corymbosum from large fruited cultivated varieties				.33	.50	3.00
corymbosum, from large fruited, cultivated varieties, such as Pioneer, Rubel, Cabot. These are planted for						
their delicious fruit				.50	1.50	5.00
oldhami		.25	.60	2.00		
pennsylvanicum				.35	.90	3.00
stamineum	.25			.35	.90	3.00
vacillans				.33	.Du	2.00
poor soil, with red berries	.20		.40	1.30		
				.15	.40	1.35
VIBURNUM acerifoliumalnifolium				.15	.55	1.75
americanum				.20	.45	1.50
americanum, clean				.40	1.00	3.50
betulifolium	.20		.50			
burejaeticum	.25			10	25	1.25
cassinoidesdentatum				.15	.35	.85
dilatatum, domestic dried berries				.15	.35	1.25
imported clean seed				.20	.45	1.50
25						

		17	1/		1/ 11	**
VIBURNUM (continued)	pkt.	1/16 OZ.			1/4 lb	. lb.
furcatum, Chinese Hobble-Bush	.25		.20	.60		
hupehense, fine new Chinese Viburnum, neat foliage, small clusters of bright red fruit	.25		.45	1.50		
lantana				.15	.40	1.50
lantana rugosum, leaves larger and more wrinkled than lantana, larger flower-heads	.25					
lentago				.15	.35	1.25
clean				.30	.75	2.50
lobophyllummolle	.25		.45	1.50	.50	1.75
nudum				.20	.40	1.50
opulus				.20	.45	1.50
clean				.35	.95	3.00
orientaleovatifolium	.25					
prunifolium	,40			.20	.40	1.50
rhytidophyllum				.30	.65	2.25
sargenti				.30	.65	2.25
setigerum, from China, upright shrub of neat habit with						
large glossy leaves and ornamental bright orange fruits sieboldi, clean	.25		.45	1.50		
tinus			.23	.15	.40	1.50
tomentosum, clean			.25	.75		1.00
wrighti				.30	.75	2.50
wrighti hessei	.25					
VITEX agnus castus				.15	.40	1.50
white	15			.25	.60 .75	2.00
macrophyllanegundo incisa	.15			.15	.45	1.50
VITIS aestivalis				.25	.65	2.25
amurensiscoignetiae				.35	.85	2.75
cordifolia				.20	.35	1.75
davidi, handsome Grape from China, branches armed						
with soft prickles, large foliage, brilliant red fall	25		.35			
coloringlabrusca	.25		.33	.25	.60	2.00
labrusca, Concord variety, delicious table fruit				.35	1.00	3.25
rotundifolia				.25	.65	2.25
vulpina (odoratissima or riparia)				.25	.60	2.00
WEIGELA, seed from garden varieties			.45	1.25		
WISTERIA frutescens				.15	.40	1.50
frutescens magnifica				.35	1.10	3.50
multijuga, bluewhite				.30	.75 .90	2.50 3.00
sinensis, blue.				.20	.50	1.50
white				.35	.90	3.00
XOLISMA, see Lyonia.						
YUCCA baccata			.25	.75		
brevifolia			.25	.75		
filamentosa				.25	.75	2.50
glauca (angustifolia)				.25	.75	2.50
gloriosamohavensis	.20		.35	.25 1.00	.95	3.00
whipplei, see Hesperoyucca.	.20			2.00		
ZENOBIA pulverulenta, clean	.25	.50	1.50			
ZIZYPHUS jujuba	.20		00	.45	1.05	3.50
no				.43	1.05	3.30

IV
SEEDS OF HARDY HERBACEOUS PERENNIALS

Packets.—Generous packets are available of all items listed at 15 cents each unless priced otherwise.

	pkt.	1/8 OZ.	1/8 oz.	1/4 OZ.	oz.
ACHILLEA eupatorium (filipendula) Parker's Variety, fine showy species with large bronze yellow flower-heads, 2½ ft		.15	.30	.55	2.00
					2.00
ACONITUM wilsoni. wilsoni, Barker's variety.	.20	.25	.50	.90	
ADONIS vernalis, Spring Adonis, bright yellow		.20	.30	.55	2.00
AGAPANTHUS umbellatus mooreanus		.25	.75		
ANEMONE, all listed are of the pulsatilla (Pasque Flower) group, our finest and brightest Spring flowers.					
farreri, dark copper redgrandis, blue, 20 in. high, 30-50 flower stalks to a plant halleri, the largest in flowering, bright blue, 8 in. high, to 30	.25	.20	.30	.55	2.00
flower stalks to plant		.15	.25	.45	1.50
pulsatilla, purple			.20	.35	1.00
AQUILEGIA—Columbines					
alpina		.20	.30	.50	1.75
california Hybrids, golden yellow with red spur		.15	.25	.45	1.50
canadensis, dwarf, compact variety, 2 ft		.15	.25	.45	1.50
canadensis Hybrids, shades of rose with yellow	.15	.25	1.20	2.00	
coerulea, long-spurred varieties.	.20	.43	1.20	2.00	
Blue Shades, an excellent strain, large flowers, plants 3-4 ft.		.30	.55	1.00	3.50
Coerulea, type, blue		.20	.35	.60	2.00
Copper Queen, copper red		.30	.55	1.00	3.50
Crimson Star, bright crimson, white corolla	.20	.45	.80	1.45	4.50
Lemon Queen (citrina)	.20	.35	.55	1.00	3.50
Mrs. M. Nicholls, blue, improved coerulea Orange and Scarlet Shades	.20	.35	.60	1.10	3.00
Pink Shades	.15	.30	.50	1.00	3.50
Rose Queen, soft rose		.30	.55	1.00	3,50
Silver Queen, white		.25	.40	.75	2.50
Snow Queen (candidissima) finest white, fragrant		.30	.55	1.00	3.50
Dobbie's Imperial Hybrids		.25	.45	.80	2.85
Waller-Franklin Special, a fine Californian Strain with	-		ar st.		3111
colors possessed by no other strain	- 1-11	.35	.60	1.10	3.75
flabellata, fine dwarf blue		.25	.40		
glandulosa, Copenhagen variety	.20	.25	.40		
longissima, graceful species, yellow flowered with extremely	.20	.00	.00		
long spurs	.25	.40	.75	1.40	5.00
longissima hybrids, new race, flowers in all colors with longis-					
sima spurs	.30				
vulgaris varieties					
Colonial Strain, the Columbine of grandmother's garden,					
seed offered is grown by us from an old European strain					
of great vigor, hardiness and beauty, plants to 4 ft. high, colors are: Blue, Blue-black, Lilac, Pink, Rose and White			.15	.25	.75
Erecta Edelweiss, dwarf, compact variety, from Japan			.10	.20	
with white flowers	.15	.20	.30	.50	1.80
		.15	.25	.45	
CAMPANULA persicifolia (2½ ft.) alba, white		.15	.25	.40	
Moerheimei, fine semi-double white		.25	.45	.80	
Telham Beauty, soft lavender, a fine variety		.30	.55	1.00	
rotundifolia, Scotch Blue Bells	.20		.65		
27					

		1/16 oz.	1/8 oz.		. oz.
CARYOPTERIS incana (mastacanthus), pink	.25		.20	.65 .35	1.00
white		25			1.00
CASSIA marilandica, Indian Senna.		.15	.20	.35	1.00
CHRYSANTHEMUM leucanthemum Spring Marguerite			.15	.20	.50
Shasta Daily Alaska, 2½ ft.			.15	.25	.85
Chiffon, 18 in., pure white flowers to 3 in. across with					.00
double row of fringed and curled petals		.15	.20	.35	1.25
Conqueror, Early giant flowering, 2½ to 3 ft			.20	.35	1.00
King Edward VII, improved		.15	.25	.45	
Mrs. C. Lowthian Bell, large flowers, long stems			.25	.45	
Vanderbilt Hybrids, vigorous large flowered strain to 4 ft		.15	.20	.35	1.00
CLEMATIS—See Part III.		.10	.20	.55	1.00
CYCLAMEN europaeum roseum					
neapolitanum (hederaefolium)					
DELPHINIUM New Giant Pacific Hybrids, a remarkable new					
strain of Delphiniums with tall wiry stems and large closely					
set flowers.					
Blue Shades	.50	.90	1.75	3.50	
Light Shades	.50	.90	1.75	3.50	
Pastel Shades	.50	.90	1.75	3.50	
Violet Shades Double White, the best white strain available	.55	.90	1.75	3.50	
Mixed Shades	.45	.80	1.50	3.00	
DELPHINIUM species		.00	2.00	5.00	
cardinale, Scarlet Larkspur		.20	.35	.60	
cashmerianum, to 11/2 ft., dark blue with Monk's-hood like					
flowers, most beautiful species		.20	.35	1.00	
caucasicum, close to elatum, to 6 ft		.20	.35	.70	2.50
nudicaule, Red Larkspur, parent species of the new pink flowered			-		
hybrids	.20	.20	.35	.65	
nudicaule, Lemon Queen.	.25	.40	.55 .75	1.00	
sulphureum (Zalil) yellow Larkspur	.30	.10			
DICENTRA eximia		.15	.25	.40	1.25
formosa, of better habit and with larger flowers than eximia		.25	.35		
DICTAMNUS fraxinella, red			.30	.50	1.50
white			.30	.50	1.50
EREMURUS Desert-Candle, seed collected from garden varieties.	.20	.30	.50	.90	2.75
robustus					
Shelford Hybrids10 seeds, .20; 100 seeds, .80					
HELIANTHEMUM mutabile			.30	.50	1.50
HELLEBORUS niger, Christmas Rose			.35	.65	2.00
HEUCHERA, Coral Bells	- 7				
Rosamundi, fine rose, sturdy variety	.20	.35	1.25		
LILIUM auratumBackhouse Hybrids	20	.15	.25	.40	1.20
canadense	.20	.20	.30	.50	
candidum		.20	.30	.50	
candidum salonicum	.20	1.00		.00	
dalmaticum Hybrids, to 6 ft., rose and purple shades	.25				
longiflorum praecox, White Queen	.30				
martagon		.15	.25	.75	
martagon album	.25	.45			
monadelphum szovitzianum, beautiful yellow Turk's Cap Lily	.35	25		1 05	
philadelphum regale hybrids:		.35	.65	1.25	
Shelburne hybrids (regale x Sargentiae)		.25	.40	.75	2.50
Sulphur-Gale (sulphureum x regale)		.25	.45	.85	2.00
, _ , _ , _ , _ , _ , _ , _ , _ , _ , _		120			

	pkt.	1/6 oz.	1/8 oz.	1/4 oz.	oz.
LILIUM (continued)					
superbumtenuifolium			.15	.25	.75
tenuifolium, Golden Gleam.	.20	.35	.65		
LUPINUS perennis, fine native ground cover Lupin for light soil,					
flowers of true blue			.20	.35	1.00
polyphyllus:		10	95	.35	1.00
Kingdom, buff with yellow and distinct orange flag Moerheimi, rose and white, compact habit		.15	.25	.35	1.00
Perfection, broad flowers, white, in full bloom faintly rose-					
tinged		.15	.25	.40	1.20
Color Varieties:				.15	.25
Deep blue				.25	.80
Select rose.			.15	.20	.60
Pure white				.15	.25
Yellow, in various shades			.15	.25	.80
New England seed, blend of blue, white and rose shades Russel Strain, the newest development in Lupinus			.15	.20	.50
Hybrids, compact spikes with broad built flowers					
in a great variety of colors		.20	.30	.50	.90
Russel, fine rose selection		.25	.40	.75	
Russel, blue and cream selection		.25	.40	.75	
MYOSOTIS palustris semperflorens, Perennial Ever-blooming		.15	.25	.45	1.50
Forget-me-not		.15		.25	.65
PAEONIA albiflora (chinensis)			.15	.35	1.00
White			.15	.35	1.00
Mixed			.15	.30	.85
officinalis, Common Peony			.15	.35	1.00
veitchi, carmine					
10 seeds, .35; 100 seeds, 3.00					
PHYSALIS franchetti, Lantern Plant				.15	.45
PLATYCODON grandiflorum, blue			.15	.20	.55
white			.15	.20	.55
mariesi, dwarf blue		.15	.25	.50	1.50
praecox grandiflora gigantea, early giant flowered strain, blue		.20	.35	.60	2.00
POTENTILLA nepalensis, mixed colors			.30	.50	1.50
Miss Willmot Roxana, coral red.		.25	.15	.55	1.75
warrensi		.25	.40	.75	2.50
PRIMROSE auricula, choice mixed	.25	.55	1.00		
Cowslip (officinalis), yellow	.20	.35	.65	1.25	
Cowslip Red, a fine red Primrose	.25	.45	.80	1.50	
Japanese	.20	.35	1.25	2.00	6.00
Polyanthus, choice, large flowered, in mixture		.,,	1.20	2.00	0.00
ROMNEYA coulteri, Matilija Poppy, striking plant with glaucous foliage and large white Poppy flowers	.25			.65	2.00
				.15	.45
THERMOPSIS caroliniana			25	.40	1.25
THALICTRUM dipterocarpum		.15	.25	1.20	3.50
TROLLIUS, Earliest of All europaeus	.20	.35	.65 .45	.80	2.50
caucasicus, Orange Globe	.20	.35	.65	1.20	4.00
Giant Devonshire, exquisite novelty, orange blooms to 3 in.				171	
across on tall stems	.35	2.00	-		4 00
Fire Globe, dark orange	.20	.35	.65	1.20	4.00 5.00
Mixed varieties	.15	.20	.35	.60	2.00
20					

BOOKS

TH	E GARDENER'S OMNIBUS. Edited by E. I. FARRINGTON.
	Published under auspices of the Massachusetts Horticultural Society.
	39 Books—a complete garden library in one volume—make up the most
	usable garden book ever published.
	600 contributors—600 illustrations—Almost 1000 pages (the equivalent
	of 3000 or 4000 in an average size book). Over 7000 references in the index.
	A book by gardeners for gardeners. Quarto $(8\frac{3}{4}'' \times 10\frac{3}{4}'')$. \$3.75

- BIRDS IN THE GARDEN and HOW TO ATTRACT THEM.

 By Margaret McKenny.

 350 pages of Bird Lore, 16 color plates, 32 pages of photographs. Complete guide to Bird Habits and Care. A fascinating new book. \$5.00

CULTIVATED CONIFERS in NORTH AMERICA.

- HEDGES, SCREENS and WINDBREAKS, USES, SELECTION AND CARE.

 By Donald Wyman.

 249 pages. Illustrated with many diagrams and half tones. . . \$2.75

Book prices are postpaid in U. S. A. Terms net cash with order SEND ORDERS TO

F. W. SCHUMACHER

579 Centre Street Jamaica Plain, Boston, Mass.

P. O. Box 131

Telephone ENDicott 1850

Cable Address, Treeseeds, Boston